

# Exhibit 99

December 2024 General Causation Expert Report of Timothy M. Mallon, M.D., M.P.H., M.S.  
[Leukemia]

Materials Considered List

1. Alexander DD, Mink PJ, Mandel JH, Kelsh MA. A meta-analysis of occupational trichloroethylene exposure and multiple myeloma or leukaemia. *Occup Med (Lond)*. 2006;56(7):485-493. doi:10.1093/occmed/kql083.
2. Al-Hamadani M, Habermann TM, Cerhan JR, Macon WR, Maurer MJ, Go RS. Non-Hodgkin lymphoma subtype distribution, geodemographic patterns, and survival in the US: A longitudinal analysis of the National Cancer Data Base from 1998 to 2011. *Am J Hematol*. 2015;90(9):790-795. doi:10.1002/ajh.24086.
3. Anderson LA, Pfeiffer RM, Landgren O, Gadalla S, Berndt SI, Engels EA. Risks of myeloid malignancies in patients with autoimmune conditions. *Br J Cancer*. 2009;100(5):822-828. doi:10.1038/sj.bjc.6604935.
4. Anttila A, Pukkala E, Sallmén M, Hernberg S, Hemminki K. Cancer incidence among Finnish workers exposed to halogenated hydrocarbons. *J Occup Environ Med*. 1995;37(7):797-806. doi:10.1097/00043764-199507000-00008.
5. Aschengrau A, Ozonoff D, Paulu C, et al. Cancer risk and tetrachloroethylene-contaminated drinking water in Massachusetts. *Arch Environ Health*. 1993;48(5):284-292. doi:10.1080/00039896.1993.9936715.
6. ATSDR. Assessment of the Evidence for the Drinking Water Contaminants at Camp Lejeune and Specific Cancers and Other Diseases. U.S. Dept. of Health and Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry; 2017.
7. ATSDR. Camp Lejeune Drinking Water Public Health Assessment-1-20-2017, ATSDR, DHHS, PHS, Division of Toxicology and Human Health Sciences, Environmental Toxicology Branch,1600 Clifton Road NE, Atlanta, Georgia 30333.
8. ATSDR. Morbidity Study of Former Marines, Employees, and Dependents Potentially Exposed to Contaminated Drinking Water at U.S. Marine Corps Base Camp Lejeune. April, 2018. ATSDR, DHHS, PHS, Division of Toxicology and Human Health Sciences.
9. ATSDR. Summary of the Evidence for the Drinking Water Contaminants at Camp Lejeune and Specific Cancers and Other Diseases. ATSDR, January 13, 2017.
10. ATSDR. Toxicological Profile for Benzene. Agency for Toxic Substances and Disease Registry. U.S. Centers for Disease Control and Prevention. August 2007.
11. ATSDR. Toxicological Profile for Benzene. Agency for Toxic Substances and Disease Registry. U.S. Centers for Disease Control and Prevention. October 2024 Draft.

12. ATSDR. Toxicological Profile for Tetrachloroethylene, June 2019. Agency for Toxic Substances and Disease Registry Division of Toxicology and Human Health Sciences Environmental Toxicology Branch 1600 Clifton Road NE Mailstop S102-1 Atlanta, Georgia 30329-4027.
13. Axelson O, Seldén A, Andersson K, Hogstedt C. Updated and expanded Swedish cohort study on trichloroethylene and cancer risk. *J Occup Med*. 1994;36(5):556-562.
14. Bahr DE, Aldrich TE, Seidu D, et al. Occupational exposure to trichloroethylene and cancer risk for workers at the Paducah Gaseous Diffusion Plant. *Int J Occup Med Environ Health*. 2011;24(1):67-77. doi:10.2478/s13382-011-0007-1.
15. Bassig BA, Zhang L, Vermeulen R, et al. Comparison of hematological alterations and markers of B-cell activation in workers exposed to benzene, formaldehyde and trichloroethylene. *Carcinogenesis*. 2016;37(7):692-700. doi:10.1093/carcin/bgw053.
16. Blair A, Petralia SA, Stewart PA. Extended mortality follow-up of a cohort of dry cleaners. *Ann Epidemiol*. 2003;13(1):50-56. doi:10.1016/s1047-2797(02)00250-8.
17. Blanchard KT, Ball DJ, Holden HE, Furst SM, Stoltz JH, Stoll RE. Dermal carcinogenicity in transgenic mice: relative responsiveness of male and female hemizygous and homozygous Tg.AC mice to 12-O-tetradecanoylphorbol 13-acetate (TPA) and benzene. *Toxicol Pathol*. 1998;26(4):541-547. doi:10.1177/019262339802600410.
18. Boice JD Jr, Marano DE, Cohen SS, et al. Mortality among Rocketdyne workers who tested rocket engines, 1948-1999. *J Occup Environ Med*. 2006;48(10):1070-1092. doi:10.1097/01.jom.0000240661.33413.b5.
19. Bois FY, Zeise L, Tozer TN. Precision and sensitivity of pharmacokinetic models for cancer risk assessment: tetrachloroethylene in mice, rats, and humans. *Toxicol Appl Pharmacol*. 1990;102(2):300-315. doi:10.1016/0041-008x(90)90029-t.
20. Bove FJ, Greek A, Gatiba R, et al. Cancer Incidence among Marines and Navy Personnel and Civilian Workers Exposed to Industrial Solvents in Drinking Water at US Marine Corps Base Camp Lejeune: A Cohort Study. *Environ Health Perspect*. 2024;132(10):107008. doi:10.1289/EHP14966.
21. Bove FJ, Greek A, Gatiba R, Boehm RC, Mohsen MM. Evaluation of mortality among Marines, Navy personnel, and civilian workers exposed to contaminated drinking water at USMC base Camp Lejeune: a cohort study. *Environ Health*. 2024;23(1):61. Published 2024 Jul 3. doi:10.1186/s12940-024-01099-7.
22. Bove FJ, Ruckart PZ, Maslia M, Larson TC. Mortality study of civilian employees exposed to contaminated drinking water at USMC Base Camp Lejeune: a retrospective cohort study. *Environ Health*. 2014b;13:68. Published 2014 Aug 13. doi:10.1186/1476-069X-13-68.

23. Bove FJ. Mortality Study of Service Members exposed to contaminated drinking water at USMC base Camp Lejeune: A retrospective study. *Environ Health*. 2014a; 13:68.
24. Bulbulyan MA, Ilychova SA, Zahm SH, Astashevsky SV, Zaridze DG. Cancer mortality among women in the Russian printing industry. *Am J Ind Med*. 1999;36(1):166-171. doi:10.1002/(sici)1097-0274(199907)36:1<166::aid-ajim24>3.0.co;2-p.
25. Callahan CL, Stewart PA, Blair A, Purdue MP. Extended Mortality Follow-up of a Cohort of Dry Cleaners. *Epidemiology* 2019;30(2):285-290. doi:10.1097/EDE.0000000000000951.
26. Camp Lejeune Justice Act of 2022 (CLJA), Pub. L. No. 117-168, § 804, 136 Stat. 1802 (2022), available at <https://www.congress.gov/117/plaws/publ168/PLAW-117publ168.pdf>.
27. Checkoway H, et al. Research Methods in Occupational Epidemiology, Second Edition. Oxford University Press (NY), 2004.
28. Chiu WA, Jinot J, Scott CS, et al. Human health effects of trichloroethylene: key findings and scientific issues. *Environ Health Perspect*. 2013;121(3):303-311. doi:10.1289/ehp.1205879.
29. Cichocki JA, Furuya S, Konganti K, et al. Impact of Nonalcoholic Fatty Liver Disease on Toxicokinetics of Tetrachloroethylene in Mice. *J Pharmacol Exp Ther*. 2017;361(1):17-28. doi:10.1124/jpet.116.238790.
30. Christensen KY, Vizcaya D, Richardson H, Lavoué J, Aronson K, Siemiatycki J. Risk of selected cancers due to occupational exposure to chlorinated solvents in a case-control study in Montreal. *J Occup Environ Med*. 2013;55(2):198-208. doi:10.1097/JOM.0b013e3182728eab.
31. Cocco P, Vermeulen R, Flore V, et al. Occupational exposure to trichloroethylene and risk of non-Hodgkin lymphoma and its major subtypes: a pooled InterLymph [correction of linterLymph] analysis. *Occup Environ Med*. 2013;70(11):795-802. doi:10.1136/oemed-2013-101551.
32. Cohn P, Klotz J, Bove F, Berkowitz M, Fagliano J. Drinking Water Contamination and the Incidence of Leukemia and Non-Hodgkin's Lymphoma. *Environ Health Perspect*. 1994;102(6-7):556-561. doi:10.1289/ehp.94102556.
33. Collins JJ, Anteau SE, Swaen GM, Bodner KM, Bodnar CM (2015). Lymphatic and hematopoietic cancers among benzene-exposed workers. *J Occup Environ Med*, 57(2):159–63. doi:10.1097/JOM. 0000000000000324 PMID:25654516.
34. Costantini AS, Benvenuti A, Vineis P, et al. Risk of leukemia and multiple myeloma associated with exposure to benzene and other organic solvents: evidence from the Italian Multicenter Case-control study. *Am J Ind Med*. 2008;51(11):803-811. doi:10.1002/ajim.20592.

35. Costas K, Knorr RS, Condon SK. A case-control study of childhood leukemia in Woburn, Massachusetts: the relationship between leukemia incidence and exposure to public drinking water. *Sci Total Environ.* 2002;300(1-3):23-35. doi:10.1016/s0048-9697(02)00169-9.
36. Crosignani P, Tittarelli A, Borgini A, et al. Childhood leukemia and road traffic: A population-based case-control study. *Int J Cancer.* 2004;108(4):596-599. doi:10.1002/ijc.11597.
37. Cutler JJ, Parker GS, Rosen S, Prenney B, Healey R, Caldwell GG. Childhood leukemia in Woburn, Massachusetts. *Public Health Rep.* 1986;101(2):201-205.
38. DeMoulin D, Cai H, Vermeulen R, Zheng W, Lipworth L, Shu XO. Occupational Benzene Exposure and Cancer Risk among Chinese Men: A Report from the Shanghai Men's Health Study. *Cancer Epidemiol Biomarkers Prev.* 2024;33(11):1465-1474. doi:10.1158/1055-9965.EPI-24-0325.
39. Deposition of Frank Bove
40. EPA. [Pre-Pub Notice] Trichloroethylene (TCE); Regulation under the Toxic Substances Control Act (TSCA). epa.gov. October 12, 2023. Accessed December 12, 2024. [https://www.epa.gov/system/files/documents/2023-10/prepubcopy\\_8317-01\\_rin2070-ak83\\_tce\\_nprm\\_signature\\_fr\\_doc\\_admin-2.pdf](https://www.epa.gov/system/files/documents/2023-10/prepubcopy_8317-01_rin2070-ak83_tce_nprm_signature_fr_doc_admin-2.pdf).
41. EPA. Toxicological Review of PCE, February 2012. <http://www.epa.gov/iris/toxreviews/0106tr.pdf>.
42. EPA. Toxicological Review of TCE, September 2011. <http://www.epa.gov/iris/toxreviews/0199tr/0199tr.pdf>.
43. Expert Report of Morris Maslia
44. Fagliano J, Berry M, Bove F, Burke T. Drinking water contamination and the incidence of leukemia: an ecologic study. *Am J Public Health.* 1990;80(10):1209-1212. doi:10.2105/ajph.80.10.1209.
45. Farris GM, Everitt JI, Irons RD, Popp JA. Carcinogenicity of inhaled benzene in CBA mice. *Fundam Appl Toxicol.* 1993;20(4):503-507. doi:10.1006/faat.1993.1061.
46. French JE, Lacks GD, Trempus C, et al. Loss of heterozygosity frequency at the Trp53 locus in p53-deficient (+/-) mouse tumors is carcinogen-and tissue-dependent [published correction appears in *Carcinogenesis* 2002 Feb;23(2):373]. *Carcinogenesis.* 2001;22(1):99-106. doi:10.1093/carcin/22.1.99.
47. Gérin M, Siemiatycki J, Désy M, Krewski D. Associations between several sites of cancer and occupational exposure to benzene, toluene, xylene, and styrene: results of a case-control study

in Montreal. *Am J Ind Med.* 1998;34(2):144-156. doi:10.1002/(sici)1097-0274(199808)34:2<144::aid-ajim7>3.0.co;2-x.

48. Glass DC, Gray CN, Jolley DJ, et al. Leukemia risk associated with low-level benzene exposure. *Epidemiology.* 2003;14(5):569-577. doi:10.1097/01.ede.0000082001.05563.e0.
49. Greenland S, Salvan A, Wegman DH, Hallock MF, Smith TJ. A case-control study of cancer mortality at a transformer-assembly facility. *Int Arch Occup Environ Health.* 1994;66(1):49-54. doi:10.1007/BF00386579
50. Gunnarsson N, Höglund M, Stenke L, et al. Increased prevalence of prior malignancies and autoimmune diseases in patients diagnosed with chronic myeloid leukemia. *Leukemia.* 2016;30(7):1562-1567. doi:10.1038/leu.2016.59.
51. Guha N, Loomis D, Grosse Y, et al. Carcinogenicity of trichloroethylene, tetrachloroethylene, some other chlorinated solvents, and their metabolites. *Lancet Oncol.* 2012;13(12):1192-1193. doi:10.1016/s1470-2045(12)70485-0.
52. Guo H, Ahn S, Zhang L. Benzene-associated immunosuppression and chronic inflammation in humans: a systematic review. *Occup Environ Med.* Published online September 16, 2020. doi:10.1136/oemed-2020-106517.
53. Guyton KZ, Hogan KA, Scott CS, et al. Human health effects of tetrachloroethylene: key findings and scientific issues. *Environ Health Perspect.* 2014;122(4):325-334. doi:10.1289/ehp.1307359.
54. Hansen J, Raaschou-Nielsen O, Christensen JM, et al. Cancer incidence among Danish workers exposed to trichloroethylene. *J Occup Environ Med.* 2001;43(2):133-139. doi:10.1097/00043764-200102000-00012.
55. Hill AB. The Environment and Disease: Association or Causation?. *Proc R Soc Med.* 1965;58(5):295-300.
56. Hosgood HD, Rahman ML, Blansky D, et al. Targeted proteomic scan identifies alteration of serum proteins among workers occupationally exposed to low levels of trichloroethylene. *Environ Mol Mutagen.* 2022;63(8-9):423-428. doi:10.1002/em.22518.
57. Houot J, Marquant F, Goujon S, et al. Residential Proximity to Heavy-Traffic Roads, Benzene Exposure, and Childhood Leukemia-The GEOCAP Study, 2002-2007. *Am J Epidemiol.* 2015;182(8):685-693. doi:10.1093/aje/kwv111.
58. Howlader N, Morton LM, Feuer EJ, Besson C, Engels EA. Contributions of Subtypes of Non-Hodgkin Lymphoma to Mortality Trends. *Cancer Epidemiol Biomarkers Prev.* 2016;25(1):174-179. doi:10.1158/1055-9965.EPI-15-0921.

59. Huff JE, Haseman JK, DeMarini DM, et al. Multiple-site carcinogenicity of benzene in Fischer 344 rats and B6C3F1 mice. *Environ Health Perspect*. 1989;82:125-163. doi:10.1289/ehp.8982125.
60. Hulla JE, French JE, Dunnick JK. Chromosome 11 allelotypes reflect a mechanism of chemical carcinogenesis in heterozygous p53-deficient mice. *Carcinogenesis*. 2001;22(1):89-98. doi:10.1093/carcin/22.1.89.
61. IARC. A review of human carcinogens Part F: chemical agents and related occupations. IARC Monograph Evaluating Carcinogenic Risks in Humans 2012; 100F: 249–94.
62. IARC. Benzene. IARC Monographs On The Evaluation Of Carcinogenic Risks To Humans, Vol 120. 2018
63. IARC. 1974. Benzene. In Some Anti-Thyroid And Related Substances, Nitrofurans And Industrial Chemicals.
64. IARC. 1987. Benzene. In Overall Evaluations of Carcinogenicity. IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Humans, suppl 7. Lyon, France: International Agency for Research on Cancer. pp. 120-122.
65. IARC. Chemicals and industrial processes associated with cancer in humans: an updating of IARC monographs volumes 1 to 20. IARC Monogr Eval Carcinog Risks Hum 1979; suppl 1: 15.
66. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100F. Chemical Agents and Related Occupations. A Review of Human Carcinogens. Lyon, France 2012.
67. IARC. Trichloroethylene, Tetrachloroethylene, and Some Other Chlorinated Agents. Volume 106, IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. 2014. International Agency for Research on Cancer, Lyons, France. WHO Press, World Health Organization.
68. IARC Monograph 97 Vinyl Chloride Monomer Cancer Risk Assessment 2008/ Creech & Johnson, (1974).
69. Imrey PB. Limitations of Meta-analyses of Studies With High Heterogeneity. *JAMA Netw Open*. 2020;3(1):e1919325. Published 2020 Jan 3. doi:10.1001/jamanetworkopen.2019.19325.
70. Institute of Medicine (IOM) 2008. Improving the presumptive disability decision-making process for veterans. Washington, DC: The National Academies Press.
71. Janitz AE, Campbell JE, Magzamen S, Pate A, Stoner JA, Peck JD. Benzene and childhood acute leukemia in Oklahoma [published correction appears in *Environ Res*. 2018 Aug;165:505-506. doi: 10.1016/j.envres.2018.02.038]. *Environ Res*. 2017;158:167-173. doi:10.1016/j.envres.2017.06.015.

72. Japan Bioassay Research Center. Carcinogenicity Study of Tetrachloroethylene by Inhalation in Rats and Mice. JBRC. epa.gov. September 5, 2001. Accessed December 12, 2024. [https://www.epa.gov/sites/default/files/2014-04/documents/jbrc\\_2-yr\\_part\\_1\\_final.pdf](https://www.epa.gov/sites/default/files/2014-04/documents/jbrc_2-yr_part_1_final.pdf).
73. Japan Industrial Safety Association Technical Report 1993. Carcinogenicity study of tetrachloroethylene by inhalation in rats and mice. 1993. <https://www.epa.gov/iris/supporting-documents-tetrachloroethylene-perchloroethylene> .
74. Karami S, Bassig B, Stewart PA, et al. Occupational trichloroethylene exposure and risk of lymphatic and haematopoietic cancers: a meta-analysis. *Occup Environ Med*. 2013;70(8):591-599. doi:10.1136/oemed-2012-101212.
75. Khalade A, Jaakkola MS, Pukkala E, Jaakkola JJ. Exposure to benzene at work and the risk of leukemia: a systematic review and meta-analysis. *Environ Health*. 2010;9:31. Published 2010 Jun 28. doi:10.1186/1476-069X-9-31.
76. Khan N, Ganeshpurkar A, Dubey N, Bansal D. Immunoprophylactic potential of wheat grass extract on benzene-induced leukemia: An in vivo study on murine model. *Indian J Pharmacol*. 2015;47(4):394-397. doi:10.4103/0253-7613.161261.
77. Kido T, Sugaya C, Ikeuchi R, Kudo Y, Tsunoda M, Aizawa Y. The increases in mRNA expressions of inflammatory cytokines by adding cleaning solvent or tetrachloroethylene in the murine macrophage cell line J774.1 evaluated by real-time PCR. *Ind Health*. 2013;51(3):319-325. doi:10.2486/indhealth.ms1364.
78. Kristinsson SY, Björkholm M, Hultcrantz M, Derolf ÅR, Landgren O, Goldin LR. Chronic immune stimulation might act as a trigger for the development of acute myeloid leukemia or myelodysplastic syndromes. *J Clin Oncol*. 2011;29(21):2897-2903. doi:10.1200/JCO.2011.34.8540.
79. Lagakos SW, Wessen BJ, Zelen M. An Analysis of Contaminated Well Water and Health Effects in Woburn, Massachusetts. *Journal of the American Statistical Association*. 1986;81(395):583-596. doi:<https://doi.org/10.1080/01621459.1986.10478307>.
80. Lash LH, Parker JC. Hepatic and renal toxicities associated with perchloroethylene. *Pharmacol Rev*. 2001;53(2):177-208.
81. Lee KM, Bassig BA, Zhang L, et al. Association between occupational exposure to trichloroethylene and serum levels of microRNAs: a cross-sectional molecular epidemiology study in China. *Int Arch Occup Environ Health*. 2019;92(8):1077-1085. doi:10.1007/s00420-019-01448-x.
82. Li G, Walter SD, Thabane L. Shifting the focus away from binary thinking of statistical significance and towards education for key stakeholders: revisiting the debate on whether it's

- time to de-emphasize or get rid of statistical significance. *J Clin Epidemiol*. 2021;137:104-112. doi:10.1016/j.jclinepi.2021.03.033.
83. Lin L, Chu H. Quantifying publication bias in meta-analysis. *Biometrics*. 2018;74(3):785-794. doi:10.1111/biom.12817.
84. Linet MS, Gilbert ES, Vermeulen R, et al. Benzene Exposure Response and Risk of Myeloid Neoplasms in Chinese Workers: A Multicenter Case-Cohort Study. *J Natl Cancer Inst*. 2019;111(5):465-474. doi:10.1093/jnci/djy143.
85. Linet MS, Yin SN, Gilbert ES, et al. A retrospective cohort study of cause-specific mortality and incidence of hematopoietic malignancies in Chinese benzene-exposed workers. *Int J Cancer*. 2015;137(9):2184-2197. doi:10.1002/ijc.29591.
86. Lipworth L, Sonderman JS, Mumma MT, et al. Cancer mortality among aircraft manufacturing workers: an extended follow-up. *J Occup Environ Med*. 2011;53(9):992-1007. doi:10.1097/JOM.0b013e31822e0940.
87. Lowengart RA, Peters JM, Cicioni C, et al. Childhood leukemia and parents' occupational and home exposures. *J Natl Cancer Inst*. 1987;79(1):39-46.
88. Luo YS, Hsieh NH, Soldatow VY, Chiu WA, Rusyn I. Comparative analysis of metabolism of trichloroethylene and tetrachloroethylene among mouse tissues and strains. *Toxicology*. 2018;409:33-43. doi:10.1016/j.tox.2018.07.012.
89. Maltoni C, Ciliberti A, Cotti G, Conti B, Belpoggi F. Benzene, an experimental multipotential carcinogen: results of the long-term bioassays performed at the Bologna Institute of Oncology. *Environ Health Perspect*. 1989;82:109-124. doi:10.1289/ehp.8982109.
90. Maslia ML, Sautner JB, Faye RE, Suárez-Soto RJ, Aral MM, Grayman WM, Jang W, Wang J, Bove FJ, Ruckart PZ, Valenzuela C, Green JW Jr, Krueger AL. Analyses of Groundwater Flow, Contaminant Fate and Transport, and Distribution of Drinking Water at Tarawa Terrace and Vicinity, U.S. Marine Corps Base Camp Lejeune, North Carolina: Historical Reconstruction and Present-Day Conditions— Executive Summary. Atlanta, GA: Agency for Toxic Substances and Disease Registry; 2007.
91. Maslia ML, Suárez-Soto RJ, Sautner JB, Anderson BA, Jones LE, Faye RE, Aral MM, Guan J, Jang W, Telci IT, Grayman WM, Bove FJ, Ruckart PZ, Moore SM: Analyses and Historical Reconstruction of Groundwater Flow, Contaminant Fate and Transport, and Distribution of Drinking Water Within the Service Areas of the Hadnot Point and Holcomb Boulevard Water Treatment Plants and Vicinities, U.S. Marine Corps Base Camp Lejeune, North Carolina— Chapter A: Summary and Findings. Atlanta, GA: Agency for Toxic Substances and Disease Registry; 2013.

92. McLaughlin R, Nielsen L, Waller M. An evaluation of the effect of military service on mortality: quantifying the healthy soldier effect [published correction appears in *Ann Epidemiol*. 2015 Feb;25(2):143]. *Ann Epidemiol*. 2008;18(12):928-936. doi:10.1016/j.annepidem.2008.09.002.
93. Memorial Sloan Kettering Research Center. Leukemia Fact sheet.
94. Miligi L, Costantini AS, Benvenuti A, et al. Occupational exposure to solvents and the risk of lymphomas. *Epidemiology* 2006;17:552–61.
95. Morgan RW, Kelsh MA, Zhao K, Heringer S. Mortality of aerospace workers exposed to trichloroethylene [published correction appears in *Epidemiology* 2000 May;11(3):360]. *Epidemiology*. 1998;9(4):424-431.
96. Mundt KA, Birk T, Burch MT. Critical review of the epidemiological literature on occupational exposure to perchloroethylene and cancer. *Int Arch Occup Environ Health*. 2003;76(7):473-491. doi:10.1007/s00420-003-0457-2.
97. NTP (National Toxicology Program). NTP Toxicology and Carcinogenesis Studies of Benzene (CAS No. 71-43-2) in F344/N Rats and B6C3F1 Mice (Gavage Studies). *Natl Toxicol Program Tech Rep Ser*. 1986;289:1-277.
98. NTP OHAT, 2019: Handbook for Conducting a Literature-Based Health Assessment Using OHAT Approach for Systematic Review and Evidence Integration. US National Toxicology Program Office of Health Assessment and Translation. Available online at <https://ntp.niehs.nih.gov/pubhealth/hat/review/index-2.html>, accessed 1/14 2024.
99. NTP (National Toxicology Program). Handbook for Preparing Report on Carcinogens Monographs. National Toxicology Program, National Institute of Environmental Health Sciences, U.S. Department of Health and Human Services, July 20, 2015. Available at: [https://ntp.niehs.nih.gov/sites/default/files/ntp/roc/handbook/roc\\_handbook\\_508.pdf](https://ntp.niehs.nih.gov/sites/default/files/ntp/roc/handbook/roc_handbook_508.pdf) ; accessed Nov 12, 2024.
100. NTP (National Toxicology Program). Report on Carcinogens: Monograph on Trichloroethylene. National Toxicology Program, National Institute of Environmental Health Sciences, U.S. Department of Health and Human Services, January, 2015. Available at: [https://ntp.niehs.nih.gov/sites/default/files/ntp/roc/monographs/finaltce\\_508.pdf](https://ntp.niehs.nih.gov/sites/default/files/ntp/roc/monographs/finaltce_508.pdf) ; accessed November 12, 2024.
101. NTP (National Toxicology Program). 2021. Report on Carcinogens, Fifteenth Edition. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service. <https://ntp.niehs.nih.gov/go/roc15>. DOI: <https://doi.org/10.22427/NTP-OTHER-1003>.

102. Onishi A, Sugiyama D, Kumagai S, Morinobu A. Cancer incidence in systemic sclerosis: meta-analysis of population-based cohort studies. *Arthritis Rheum.* 2013;65(7):1913-1921. doi:10.1002/art.37969.
103. Raaschou-Nielsen O, Hansen J, McLaughlin JK, et al. Cancer risk among workers at Danish companies using trichloroethylene: a cohort study. *Am J Epidemiol.* 2003;158(12):1182-1192. doi:10.1093/aje/kwg282.
104. Park S, Leem J, Kim H. 1380 Occupational risk factor for lymphatic or haematopoietic cancer: case-control study using occupational cancer monitoring system data. *Occupational and Environmental Medicine* 2018;75:A410-A411.
105. Parker, GS, Rosen, SL. Woburn: Cancer Incidence and Environmental Hazards, 1969-1978. 1981. <https://archives.lib.state.ma.us/server/api/core/bitstreams/a1552748-98db-407b-a232-2f93634e58ae/content>.
106. Phillips RV, Rieswijk L, Hubbard AE, et al. Human exposure to trichloroethylene is associated with increased variability of blood DNA methylation that is enriched in genes and pathways related to autoimmune disease and cancer. *Epigenetics.* 2019 Nov;14(11):1112-1124. DOI: 10.1080/15592294.2019.1633866. PMID: 31241004; PMCID: PMC6773405.
107. Pigott TD, Polanin JR. Methodological Guidance Paper: High-Quality Meta-Analysis in a Systematic Review. *Review of Educational Research,* 2020;90(1):24-46. doi:10.3102/0034654319877153.
108. Purdue MP, Bakke B, Stewart P, et al. A case-control study of occupational exposure to trichloroethylene and non-Hodgkin lymphoma. *Environ Health Perspect.* 2011;119(2):232-238. doi:10.1289/ehp.1002106.
109. Radican L, Blair A, Stewart P, Wartenberg D. Mortality of aircraft maintenance workers exposed to trichloroethylene and other hydrocarbons and chemicals: extended follow-up. *J Occup Environ Med.* 2008;50(11):1306-1319. doi:10.1097/JOM.0b013e3181845f7f.
110. Rhomberg L, Goodman J, Tao G, et al. Evaluation of acute nonlymphocytic leukemia and its subtypes with updated benzene exposure and mortality estimates. *Journal of Occupational & Environmental Medicine.* 2016;58(4):414-420. doi:10.1097/jom.0000000000000689.
111. Ritz B. Cancer mortality among workers exposed to chemicals during uranium processing. *J Occup Environ Med.* 1999;41(7):556-566. doi:10.1097/00043764-199907000-00004.
112. Rooney AA, Boyles AL, Wolfe MS, Bucher JR, Thayer KA. Systematic review and evidence integration for literature-based environmental health science assessments. *Environ Health Perspect.* 2014;122(7):711-718. doi:10.1289/ehp.1307972.

113. Rosenfeld P, Spaeth K, McCarthy S, Winter S, Wilson M. Camp Lejeune Marine Cancer Risk Assessment for exposure to contaminated drinking water from 1955-1987. *Water Air Soil Pollution*. 2024;235(124). doi:10.2139/ssrn.4329666.
114. Ruckart PZ, Bove FJ, Maslia M. Evaluation of exposure to contaminated drinking water and specific birth defects and childhood cancers at Marine Corps Base Camp Lejeune, North Carolina: a case-control study. *Environ Health*. 2013;12:104. Published 2013 Dec 4. doi:10.1186/1476-069X-12-104.
115. Ruder AM, Ward EM, Brown DP. Mortality in dry-cleaning workers: an update. *Am J Ind Med*. 2001;39(2):121-132. doi:10.1002/1097-0274(200102)39:2<121::aid-ajim1000>3.0.co;2-h.
116. Samet JM, Chiu WA, Coglianò V, et al. The IARC Monographs: Updated Procedures for Modern and Transparent Evidence Synthesis in Cancer Hazard Identification. *J Natl Cancer Inst*. 2020 Jan;112(1):30-37. DOI: 10.1093/jnci/djz169. PMID: 31498409; PMCID: PMC6968684.
117. Savitz DA, Andrews KW. Review of epidemiologic evidence on benzene and lymphatic and hematopoietic cancers. *Am J Ind Med*. 1997;31(3):287-295. doi:10.1002/(sici)1097-0274(199703)31:3<287::aid-ajim4>3.0.co;2-v.
118. Savitz DA, Wise LA, Bond JC, et al. Responding to Reviewers and Editors About Statistical Significance Testing. *Ann Intern Med*. 2024;177(3):385-386. doi:10.7326/M23-2430.
119. Schnatter AR, Glass DC, Tang G, Irons RD, Rushton L. Myelodysplastic syndrome and benzene exposure among petroleum workers: an international pooled analysis. *J Natl Cancer Inst*. 2012;104(22):1724-1737. doi:10.1093/jnci/djs411.
120. Scott CS, Jinot J. Trichloroethylene and cancer: systematic and quantitative review of epidemiologic evidence for identifying hazards. *Int J Environ Res Public Health*. 2011;8(11):4238-4272. doi:10.3390/ijerph8114238.
121. Shah HM, Chung KC. Archie Cochrane and his vision for evidence-based medicine. *Plast Reconstr Surg*. 2009;124(3):982-988. doi:10.1097/PRS.0b013e3181b03928.
122. Shaheen N, Shaheen A, Ramadan A, et al. Appraising systematic reviews: a comprehensive guide to ensuring validity and reliability. *Front Res Metr Anal*. 2023;8:1268045. Published 2023 Dec 21. doi:10.3389/frma.2023.1268045.
123. Shu XO, Stewart P, Wen WQ, et al. Parental occupational exposure to hydrocarbons and risk of acute lymphocytic leukemia in offspring. *Cancer Epidemiol Biomarkers Prev*. 1999;8(9):783-791.
124. Silver SR, Pinkerton LE, Fleming DA, et al. Retrospective cohort study of a microelectronics and business machine facility. *Am J Ind Med*. 2014;57(4):412-424. doi:10.1002/ajim.22288.

---

*General Causation Expert Report – Timothy M. Mallon, M.D., M.P.H., M.S.  
Materials Considered*

125. Spalding JW, French JE, Tice RR, Furedi-Machacek M, Haseman JK, Tennant RW. 1999. Development of a transgenic mouse model for carcinogenesis.
126. Stenehjem JS, Kjærheim K, Bråtveit M, et al. Benzene exposure and risk of lymphohaematopoietic cancers in 25 000 offshore oil industry workers [published correction appears in *Br J Cancer*. 2015 Dec 1;113(11):1641. doi: 10.1038/bjc.2015.390]. *Br J Cancer*. 2015;112(9):1603-1612. doi:10.1038/bjc.2015.108.
127. Sorahan T, Kinlen LJ, Doll R. Cancer risks in a historical UK cohort of benzene exposed workers. *Occup Environ Med*. 2005;62(4):231-236. doi:10.1136/oem.2004.015628.
128. Talibov M, Lehtinen-Jacks S, Martinsen JI, et al. Occupational exposure to solvents and acute myeloid leukemia: a population-based, case-control study in four Nordic countries. *Scand J Work Environ Health*. 2014;40(5):511-517. doi:10.5271/sjweh.3436.
129. Tanner-Smith EE, Grant S, Mayo-Wilson E. Modern Meta-Analytic Methods in Prevention Science: Introduction to the Special Issue. *Prev Sci*. 2022;23(3):341-345. doi: 10.1007/s11121-022-01354-8. Epub 2022 Feb 16. PMID: 35171463.
130. Tsai SP, Gilstrap EL, Cowles SR, Snyder PJ, Ross CE. Long-term follow-up mortality study of petroleum refinery and chemical plant employees. *Am J Ind Med*. 1996;29(1):75-87. doi:10.1002/(SICI)1097-0274(199601)29:1<75::AID-AJIM10>3.0.CO;2-X. PMID: 8808045.
131. Varshney M, Chandra A, Chauhan LK, Goel SK. In vitro cytogenetic assessment of trichloroacetic acid in human peripheral blood lymphocytes. *Environ Sci Pollut Res Int*. 2014;21(2):843-850. doi:10.1007/s11356-013-1949-6.
132. Vinceti M, Rothman KJ, Crespi CM, et al. Leukemia risk in children exposed to benzene and PM10 from vehicular traffic: a case-control study in an Italian population. *Eur J Epidemiol*. 2012;27(10):781-790. doi:10.1007/s10654-012-9727-1.
133. Vlaanderen J, Lan Q, Rothman N, Kromhout H, Vermeulen R. Occupational Benzene Exposure and Lymphoma Risks: Vlaanderen et al. Respond. *Environ Health Perspect*. 2011;119(11):a468-a469. doi:10.1289/ehp.1104167R.
134. Vlaanderen J, Straif K, Pukkala E, et al. Occupational exposure to trichloroethylene and perchloroethylene and the risk of lymphoma, liver, and kidney cancer in four Nordic countries. *Occup Environ Med*. 2013;70(6):393-401. doi:10.1136/oemed-2012-101188.
135. Wang R, Zhang Y, Lan Q, et al. Occupational exposure to solvents and risk of non-Hodgkin lymphoma in Connecticut women. *Am J Epidemiol*. 2009;169(2):176-185. doi:10.1093/aje/kwn300.

136. Water Modeling Data – Appendices I, J, H1 & K to Morris Malia’s report in the above-captioned matter, dated October 25, 2024.
137. Whaley P, Halsall C, Ågerstrand M, et al. Implementing systematic review techniques in chemical risk assessment: Challenges, opportunities and recommendations. *Environ Int.* 2016;92-93:556-64. doi:10.1016/j.envint.2015.11.002. Epub 2015 Dec 11. PMID: 26687863; PMCID: PMC4881816.
138. Wong O. An industry wide mortality study of chemical workers occupationally exposed to benzene. I. General results. *Br J Ind Med.* 1987;44(6):365-381. doi:10.1136/oem.44.6.365.
139. Wong O. An industry wide mortality study of chemical workers occupationally exposed to benzene. II. Dose response analyses [published correction appears in Br J Ind Med 1987 Nov;44(11):776]. *Br J Ind Med.* 1987;44(6):382-395. doi:10.1136/oem.44.6.382.
140. Yoon JH, Kwak WS, Ahn YS. A brief review of relationship between occupational benzene exposure and hematopoietic cancer. *Ann Occup Environ Med.* 2018;30:33. Published 2018 May 10. doi:10.1186/s40557-018-0245-9.
141. Zhang L, Bassig BA, Mora JL, et al. Alterations in serum immunoglobulin levels in workers occupationally exposed to trichloroethylene. *Carcinogenesis.* 2013;34(4):799-802. doi:10.1093/carcin/bgs403.
142. Zhao Y, Krishnadasan A, Kennedy N, Morgenstern H, Ritz B. Estimated effects of solvents and mineral oils on cancer incidence and mortality in a cohort of aerospace workers. *Am J Ind Med.* 2005;48(4):249-258. doi:10.1002/ajim.20216.

All facts and data listed herein are either identified by bates number or are publicly available to and accessible by Defendant United States of America.

Dr. Mallon reserves the right to review and consider additional facts, data and publications;

Dr. Mallon reserves the right to consider the report of any other witness in this action; and

Dr. Mallon reserves the right to supplement this list of reliance files.