

Exhibit 109

**December 2024 General Causation Expert Report of Kathleen M. Gilbert, Ph.D.
[TCE, Non-Hodgkin Lymphoma, and Leukemia]**

Materials Considered List

1. Abdraboh ME, El-Missiry MA, Othman AI, Taha AN, Elhamed DSA, Amer ME. Constant light exposure and/or pinealectomy increases susceptibility to trichloroethylene-induced hepatotoxicity and liver cancer in male mice. *Environ Sci Pollut Res Int*. 2022;29(40):60371-60384. doi:10.1007/s11356-022-19976-4.
2. Abusoglu S, Celik HT, Tutkun E, et al. 8-hydroxydeoxyguanosine as a useful marker for determining the severity of trichloroethylene exposure. *Arch Environ Occup Health*. 2014;69(3):180-186. doi:10.1080/19338244.2013.763761.
3. Ansell SM. Harnessing the power of the immune system in non-Hodgkin lymphoma: immunomodulators, checkpoint inhibitors, and beyond. *Hematology Am Soc Hematol Educ Program*. 2017;2017(1):618-621. doi:10.1182/asheducation-2017.1.618.
4. Anttila A, Pukkala E, Sallmén M, Hernberg S, Hemminki K. Cancer incidence among Finnish workers exposed to halogenated hydrocarbons. *J Occup Environ Med*. 1995;37(7):797-806. doi:10.1097/00043764-199507000-00008.
5. Arfin S, Jha NK, Jha SK, et al. Oxidative Stress in Cancer Cell Metabolism. *Antioxidants (Basel)*. 2021;10(5):642. Published 2021 Apr 22. doi:10.3390/antiox10050642.
6. Aschengrau A, Ozonoff D, Paulu C, et al. Cancer risk and tetrachloroethylene-contaminated drinking water in Massachusetts. *Arch Environ Health*. 1993;48(5):284-292. doi:10.1080/00039896.1993.9936715.
7. ATSDR. 1,1,1-trichloroethane, 1,1-dichloroethane, trichloroethylene, and tetrachloroethylene. [atsdr.cdc.gov](https://www.atsdr.cdc.gov). November 12, 2024. Accessed December 11, 2024. https://www.atsdr.cdc.gov/interaction-profiles/about/111-trichloroethane-11-dichloroethane-trichloroethylene-tetrachloroethylene.html?CDC_AAref_Val=https%3A%2F%2Fwww.atsdr.cdc.gov%2Finteractionprofiles%2Fip02.html.
8. ATSDR. Assessment of the Evidence for the Drinking Water Contaminants at Camp Lejeune and Specific Cancers and Other Diseases: Department of Health & Human Services; 2017.
9. ATSDR. Addendum to the Toxicological Profile for Trichloroethylene. 2013. Available at: https://www.atsdr.cdc.gov/toxprofiles/tce_addendum.pdf.
10. ATSDR. Morbidity study of former Marines, employees, and dependents potentially exposed to contaminated drinking water at US Marine Base Camp Lejeune; April 2018.
11. ATSDR. Public Health Assessment for Camp Lejeune Drinking Water- U.S. Marine Corps Base Camp Lejeune, North Carolina, January 20, 2017.

12. ATSDR. Toxicological profile for vinyl chloride. [atsdr.cdc.gov](https://www.atsdr.cdc.gov). January 2024. Accessed December 11, 2024. <https://www.atsdr.cdc.gov/ToxProfiles/tp20.pdf>.
13. ATSDR. Vapor Intrusion PHA. [Atsdr.cdc.gov](https://www.atsdr.cdc.gov). November 12, 2024. https://www.atsdr.cdc.gov/camp-lejeune/php/public-health-assessments/vapor-intrusion-pha.html?CDC_AAref_Val=https://www.atsdr.cdc.gov/sites/lejeune/Vapor-Intrusion-PHA.html.
14. Bahr DE, Aldrich TE, Seidu D, et al. Occupational exposure to trichloroethylene and cancer risk for workers at the Paducah Gaseous Diffusion Plant. *Int J Occup Med Environ Health*. 2011;24(1):67-77. doi:10.2478/s13382-011-0007-1.
15. Banerjee N, Wang H, Wang G, Boor PJ, Khan MF. Redox-sensitive Nrf2 and MAPK signaling pathways contribute to trichloroethene-mediated autoimmune disease progression. *Toxicology*. 2021;457:152804. doi:10.1016/j.tox.2021.152804.
16. Beatty G, Paterson Y. IFN-gamma-dependent inhibition of tumor angiogenesis by tumor-infiltrating CD4+ T cells requires tumor responsiveness to IFN-gamma. *J Immunol*. 2001;166(4):2276-2282. doi:10.4049/jimmunol.166.4.2276.
17. Bergman K. Interactions of trichloroethylene with DNA in vitro and with RNA and DNA of various mouse tissues in vivo. *Arch Toxicol*. 1983;54(3):181-193. doi:10.1007/BF01239202.
18. Bhattacharyya S, Saha J. Tumour, Oxidative Stress and Host T Cell Response: Cementing the Dominance. *Scand J Immunol*. 2015;82(6):477-488. doi:10.1111/sji.12350.
19. Bispo JAB, Pinheiro PS, Kobetz EK. Epidemiology and Etiology of Leukemia and Lymphoma. *Cold Spring Harb Perspect Med*. 2020;10(6):a034819. Published 2020 Jun 1. doi:10.1101/cshperspect.a034819.
20. Blair A, Decoufle P, Grauman D. Causes of death among laundry and dry cleaning workers. *Am J Public Health*. 1979;69(5):508-511. doi:10.2105/ajph.69.5.508.
21. Blossom SJ, Fernandes L, Bai S, et al. Opposing Actions of Developmental Trichloroethylene and High-Fat Diet Coexposure on Markers of Lipogenesis and Inflammation in Autoimmune-Prone Mice. *Toxicol Sci*. 2018;164(1):313-327. doi:10.1093/toxsci/kfy091.
22. Blossom SJ, Gilbert KM. Epigenetic underpinnings of developmental immunotoxicity and autoimmune disease. *Curr Opin Toxicol*. 2018;10:23-30. doi:10.1016/j.cotox.2017.11.013.
23. Blossom SJ, Gilbert KM. Exposure to a metabolite of the environmental toxicant, trichloroethylene, attenuates CD4+ T cell activation-induced cell death by metalloproteinase-dependent FasL shedding. *Toxicol Sci*. 2006;92(1):103-114. doi:10.1093/toxsci/kfj212.
24. Blossom SJ, Melnyk S, Cooney CA, Gilbert KM, James SJ. Postnatal exposure to trichloroethylene alters glutathione redox homeostasis, methylation potential, and

- neurotrophin expression in the mouse hippocampus. *Neurotoxicology*. 2012;33(6):1518-1527. doi:10.1016/j.neuro.2012.02.017.
25. Blossom SJ, Melnyk SB, Li M, Wessinger WD, Cooney CA. Inflammatory and oxidative stress-related effects associated with neurotoxicity are maintained after exclusively prenatal trichloroethylene exposure. *Neurotoxicology*. 2017;59:164-174. doi:10.1016/j.neuro.2016.01.002.
 26. Blossom SJ, Pumford NR, Gilbert KM. Activation and attenuation of apoptosis of CD4+ T cells following in vivo exposure to two common environmental toxicants, trichloroacetaldehyde hydrate and trichloroacetic acid. *J Autoimmun*. 2004;23(3):211-220. doi:10.1016/j.jaut.2004.06.007.
 27. Bove FJ, Greek A, Gatiba R, et al. Cancer Incidence among Marines and Navy Personnel and Civilian Workers Exposed to Industrial Solvents in Drinking Water at US Marine Corps Base Camp Lejeune: A Cohort Study. *Environ Health Perspect*. 2024;132(10):107008. doi:10.1289/EHP14966.
 28. Bove FJ, Greek A, Gatiba R, Boehm RC, Mohnsen MM. Evaluation of mortality among Marines, Navy personnel, and civilian workers exposed to contaminated drinking water at USMC base Camp Lejeune: a cohort study. *Environ Health*. 2024;23(1):61. Published 2024 Jul 3. doi:10.1186/s12940-024-01099-7.
 29. Bove FJ, Ruckart PZ, Maslia M, Larson TC. Evaluation of mortality among marines and navy personnel exposed to contaminated drinking water at USMC base Camp Lejeune: a retrospective cohort study. *Environ Health*. 2014;13(1):10. Published 2014 Feb 19. doi:10.1186/1476-069X-13-10.
 30. Bove FJ, Ruckart PZ, Maslia M, Larson TC. Mortality study of civilian employees exposed to contaminated drinking water at USMC Base Camp Lejeune: a retrospective cohort study. *Environ Health*. 2014;13:68. Published 2014 Aug 13. doi:10.1186/1476-069X-13-68.
 31. Boverhof DR, Krieger SM, Hotchkiss JA, Stebbins KE, Thomas J, Woolhiser MR. Assessment of the immunotoxic potential of trichloroethylene and perchloroethylene in rats following inhalation exposure. *J Immunotoxicol*. 2013;10(3):311-320. doi:10.3109/1547691X.2012.735275.
 32. Byrum SD, Washam CL, Patterson JD, Vyas KK, Gilbert KM, Blossom SJ. Continuous Developmental and Early Life Trichloroethylene Exposure Promoted DNA Methylation Alterations in Polycomb Protein Binding Sites in Effector/Memory CD4+ T Cells. *Front Immunol*. 2019;10:2016. Published 2019 Aug 28. doi:10.3389/fimmu.2019.02016.
 33. Camp Lejeune Justice Act of 2022 (CLJA), Pub. L. No. 117-168, § 804, 136 Stat. 1802 (2022), available at <https://www.congress.gov/117/plaws/publ168/PLAW-117publ168.pdf>.

34. Carbone A, Tripodo C, Carlo-Stella C, Santoro A, Gloghini A. The role of inflammation in lymphoma. *Adv Exp Med Biol.* 2014;816:315-333. doi:10.1007/978-3-0348-0837-8_12.
35. Chen Y, Shao X, Yang H, et al. Interferon gamma regulates a complex pro-survival signal network in chronic lymphocytic leukemia. *Eur J Haematol.* 2023;110(4):435-443. doi:10.1111/ejh.13921.
36. Cichocki JA, Guyton KZ, Guha N, Chiu WA, Rusyn I, Lash LH. Target Organ Metabolism, Toxicity, and Mechanisms of Trichloroethylene and Perchloroethylene: Key Similarities, Differences, and Data Gaps. *J Pharmacol Exp Ther.* 2016;359(1):110-123. doi:10.1124/jpet.116.232629.
37. Cocco P, Vermeulen R, Flore V, et al. Occupational exposure to trichloroethylene and risk of non-Hodgkin lymphoma and its major subtypes: a pooled InterLymph [correction of linterLymph] analysis. *Occup Environ Med.* 2013;70(11):795-802. doi:10.1136/oemed-2013-101551.
38. Cohn P, Klotz J, Bove F, Berkowitz M, Fagliano J. Drinking Water Contamination and the Incidence of Leukemia and Non-Hodgkin's Lymphoma. *Environ Health Perspect.* 1994;102(6-7):556-561. doi:10.1289/ehp.94102556.
39. Costas K, Knorr RS, Condon SK. A case-control study of childhood leukemia in Woburn, Massachusetts: the relationship between leukemia incidence and exposure to public drinking water. *Sci Total Environ.* 2002;300(1-3):23-35. doi:10.1016/s0048-9697(02)00169-9.
40. Cutler JJ, Parker GS, Rosen S, Prenney B, Healey R, Caldwell GG. Childhood leukemia in Woburn, Massachusetts. *Public Health Rep.* 1986;101(2):201-205.
41. Davis AS, Viera AJ, Mead MD. Leukemia: an overview for primary care. *Am Fam Physician.* 2014;89(9):731-738.
42. Deposition of Frank Bove
43. D'mello KP, Zhao L, Kaser EC, et al. The role of interleukins and the widely studied TNF- α in non-Hodgkin's lymphoma. *Med Oncol.* 2021;38(5):56. Published 2021 Apr 9. doi:10.1007/s12032-021-01504-y.
44. Dong C, Zhang NJ, Zhang LJ. Oxidative stress in leukemia and antioxidant treatment. *Chin Med J (Engl).* 2021;134(16):1897-1907. Published 2021 Jul 12. doi:10.1097/CM9.0000000000001628.
45. Elkin ER, Harris SM, Su AL, Lash LH, Loch-Carusio R. Placenta as a target of trichloroethylene toxicity. *Environ Sci Process Impacts.* 2020;22(3):472-486. doi:10.1039/c9em00537d.
46. Expert Report of Morris Maslia
47. Fagliano J, Berry M, Bove F, Burke T. Drinking water contamination and the incidence of leukemia: an ecologic study. *Am J Public Health.* 1990;80(10):1209-1212.

doi:10.2105/ajph.80.10.1209.

48. Furman D, Campisi J, Verdin E, et al. Chronic inflammation in the etiology of disease across the life span. *Nat Med*. 2019;25(12):1822-1832. doi:10.1038/s41591-019-0675-0.
49. Gilbert KM, Bai S, Barnette D, Blossom SJ. Exposure Cessation During Adulthood Did Not Prevent Immunotoxicity Caused by Developmental Exposure to Low-Level Trichloroethylene in Drinking Water. *Toxicol Sci*. 2017;157(2):429-437. doi:10.1093/toxsci/kfx061.
50. Gilbert KM, Blossom SJ, Erickson SW, et al. Chronic exposure to trichloroethylene increases DNA methylation of the Irfng promoter in CD4⁺ T cells. *Toxicol Lett*. 2016;260:1-7. doi:10.1016/j.toxlet.2016.08.017.
51. Gilbert KM, Blossom SJ, Erickson SW, et al. Chronic exposure to water pollutant trichloroethylene increased epigenetic drift in CD4(+) T cells. *Epigenomics*. 2016;8(5):633-649. doi:10.2217/epi-2015-0018.
52. Gilbert KM, Blossom SJ, Reisfeld B, et al. Trichloroethylene-induced alterations in DNA methylation were enriched in polycomb protein binding sites in effector/memory CD4⁺ T cells. *Environ Epigenet*. 2017;3(3):dvx013. doi:10.1093/eep/dvx013.
53. Gilbert KM, Nelson AR, Cooney CA, Reisfeld B, Blossom SJ. Epigenetic alterations may regulate temporary reversal of CD4(+) T cell activation caused by trichloroethylene exposure. *Toxicol Sci*. 2012;127(1):169-178. doi:10.1093/toxsci/kfs09.
54. Gilbert KM, Przybyla B, Pumford NR, et al. Delineating liver events in trichloroethylene-induced autoimmune hepatitis. *Chem Res Toxicol*. 2009;22(4):626-632. doi:10.1021/tx800409r.
55. Gilbert KM, Pumford NR, Blossom SJ. Environmental contaminant trichloroethylene promotes autoimmune disease and inhibits T-cell apoptosis in MRL(+/-) mice. *J Immunotoxicol*. 2006;3(4):263-267. doi:10.1080/15476910601023578.
56. Gilbert KM, Reisfeld B, Zurlinden TJ, Kreps MN, Erickson SW, Blossom SJ. Modeling toxicodynamic effects of trichloroethylene on liver in mouse model of autoimmune hepatitis. *Toxicol Appl Pharmacol*. 2014;279(3):284-293. doi:10.1016/j.taap.2014.07.003.
57. Gilbert KM, Rowley B, Gomez-Acevedo H, Blossom SJ. Coexposure to mercury increases immunotoxicity of trichloroethylene. *Toxicol Sci*. 2011;119(2):281-292. doi:10.1093/toxsci/kfq345.
58. Gilbert KM, Woodruff W, Blossom SJ. Differential immunotoxicity induced by two different windows of developmental trichloroethylene exposure. *Autoimmune Dis*. 2014;2014:982073. doi:10.1155/2014/982073.

59. Giver CR, Wong R, Moore DH 2nd, Pallavicini MG. Dermal benzene and trichloroethylene induce aneuploidy in immature hematopoietic subpopulations in vivo. *Environ Mol Mutagen.* 2001;37(3):185-194. doi:10.1002/em.1027.
60. Griffin JM, Blossom SJ, Jackson SK, Gilbert KM, Pumford NR. Trichloroethylene accelerates an autoimmune response by Th1 T cell activation in MRL +/+ mice. *Immunopharmacology.* 2000;46(2):123-137. doi:10.1016/s0162-3109(99)00164-2.
61. Griffin JM, Gilbert KM, Lamps LW, Pumford NR. CD4(+) T-cell activation and induction of autoimmune hepatitis following trichloroethylene treatment in MRL+/+ mice. *Toxicol Sci.* 2000;57(2):345-352. doi:10.1093/toxsci/57.2.345.
62. Griffin JM, Gilbert KM, Pumford NR. Inhibition of CYP2E1 reverses CD4+ T-cell alterations in trichloroethylene-treated MRL+/+ mice. *Toxicol Sci.* 2000;54(2):384-389. doi:10.1093/toxsci/54.2.384.
63. Grulich AE, Vajdic CM, Cozen W. Altered immunity as a risk factor for non-Hodgkin lymphoma. *Cancer Epidemiol Biomarkers Prev.* 2007;16(3):405-408. doi:10.1158/1055-9965.EPI-06-1070.
64. Gu ZW, Sele B, Jalbert P, et al. Induction d'échanges entre les chromatides soeurs (SCE) par le trichloréthylène et ses métabolites [Induction of sister chromatide exchange by trichloroethylene and its metabolites (author's transl)]. *Toxicol Eur Res.* 1981;3(2):63-67.
65. Gurbuz N, Coskun ZK, Omeroglu S, Bayraktar AC, Ciraci Z. Antioxidative and therapeutic effects of spirulina on trichloroethylene induced cutaneous irritation balb/c mice. *Bratisl Lek Listy.* 2013;114(4):192-198. doi:10.4149/bll_2013_041.
66. Haddad S, Tardif GC, Tardif R. Development of physiologically based toxicokinetic models for improving the human indoor exposure assessment to water contaminants: trichloroethylene and trihalomethanes. *J Toxicol Environ Health A.* 2006;69(23):2095-2136. doi:10.1080/15287390600631789.
67. Hadkhale K, Martinsen JI, Weiderpass E, et al. Occupational exposure to solvents and bladder cancer: A population-based case control study in Nordic countries. *Int J Cancer.* 2017;140(8):1736-1746. doi:10.1002/ijc.30593.
68. Hansen J, Raaschou-Nielsen O, Christensen JM, et al. Cancer incidence among Danish workers exposed to trichloroethylene. *J Occup Environ Med.* 2001;43(2):133-139. doi:10.1097/00043764-200102000-00012.
69. Hansen J, Sallmén M, Seldén AI, et al. Risk of cancer among workers exposed to trichloroethylene: analysis of three Nordic cohort studies. *J Natl Cancer Inst.* 2013;105(12):869-877. doi:10.1093/jnci/djt107.

70. Henschler D, Romen W, Elsässer HM, Reichert D, Eder E, Radwan Z. Carcinogenicity study of trichloroethylene by longterm inhalation in three animal species. *Arch Toxicol*. 1980;43(4):237-248. doi:10.1007/BF00366179.
71. Hill AB. The Environment and Disease: Association or Causation?. *Proc R Soc Med*. 1965;58(5):295-300.
72. Hosgood HD 3rd, Zhang L, Tang X, et al. Decreased Numbers of CD4(+) Naive and Effector Memory T Cells, and CD8(+) Naïve T Cells, are Associated with Trichloroethylene Exposure. *Front Oncol*. 2012;1:53. Published 2012 Jan 10. doi:10.3389/fonc.2011.00053.
73. Hradska K, Kascak M, Hajek R, Jelinek T. Identifying and treating candidates for checkpoint inhibitor therapies in multiple myeloma and lymphoma. *Expert Rev Hematol*. 2020;13(4):375-392. doi:10.1080/17474086.2020.1733405.
74. Hu J, Mao Y, White K. Renal cell carcinoma and occupational exposure to chemicals in Canada. *Occup Med (Lond)*. 2002;52(3):157-164. doi:10.1093/occmed/52.3.157.
75. Huang Y, Xia Y, Tao Y, et al. Protective effects of resveratrol against the cardiac developmental toxicity of trichloroethylene in zebrafish embryos. *Toxicology*. 2021;452:152697. doi:10.1016/j.tox.2021.152697.
76. Huang Z, Yue F, Yang X, et al. Upregulation of calprotectin and downregulation of retinol binding protein in the serum of workers with trichloroethylene-induced hypersensitivity dermatitis. *J Occup Health*. 2012;54(4):299-309. doi:10.1539/joh.12-0012-oa.
77. IARC. Trichloroethylene, Tetrachloroethylene, and Some Other Chlorinated Agents 2014.
78. Jia Q, Zang D, Yi J, et al. Cytokine expression in trichloroethylene-induced hypersensitivity dermatitis: an in vivo and in vitro study. *Toxicol Lett*. 2012;215(1):31-39. doi:10.1016/j.toxlet.2012.09.018.
79. Jiménez-Garza O, Ghosh M, Barrow TM, Godderis L. Toxicomethylomics revisited: A state-of-the-science review about DNA methylation modifications in blood cells from workers exposed to toxic agents. *Front Public Health*. 2023;11:1073658. Published 2023 Feb 20. doi:10.3389/fpubh.2023.1073658.
80. Jin H, Ji C, Ren F, et al. AHR-mediated oxidative stress contributes to the cardiac developmental toxicity of trichloroethylene in zebrafish embryos. *J Hazard Mater*. 2020;385:121521. doi:10.1016/j.jhazmat.2019.121521.
81. Jorgovanovic D, Song M, Wang L, Zhang Y. Roles of IFN-γ in tumor progression and regression: a review. *Biomark Res*. 2020;8:49. Published 2020 Sep 29. doi:10.1186/s40364-020-00228-x.
82. Kamijima M, Hisanaga N, Wang H, Nakajima T. Occupational trichloroethylene exposure as a cause of idiosyncratic generalized skin disorders and accompanying hepatitis similar to drug

- hypersensitivities. *Int Arch Occup Environ Health*. 2007;80(5):357-370. doi:10.1007/s00420-006-0147-y.
83. Karami S, Bassig B, Stewart PA, et al. Occupational trichloroethylene exposure and risk of lymphatic and haematopoietic cancers: a meta-analysis. *Occup Environ Med*. 2013;70(8):591-599. doi:10.1136/oemed-2012-101212.
84. Kato H, Kinoshita T, Suzuki S, et al. Production and effects of interleukin-6 and other cytokines in patients with non-Hodgkin's lymphoma. *Leuk Lymphoma*. 1998;29(1-2):71-79. doi:10.3109/10428199809058383.
85. Keil DE, Peden-Adams MM, Wallace S, Ruiz P, Gilkeson GS. Assessment of trichloroethylene (TCE) exposure in murine strains genetically-prone and non-prone to develop autoimmune disease. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 2009;44(5):443-453. doi:10.1080/10934520902719738.
86. Khalade A, Jaakkola MS, Pukkala E, Jaakkola JJ. Exposure to benzene at work and the risk of leukemia: a systematic review and meta-analysis. *Environ Health*. 2010;9:31. Published 2010 Jun 28. doi:10.1186/1476-069X-9-31.
87. Khan MF, Kaphalia BS, Prabhakar BS, Kanz MF, Ansari GA. Trichloroethene-induced autoimmune response in female MRL +/+ mice. *Toxicol Appl Pharmacol*. 1995;134(1):155-160. doi:10.1006/taap.1995.1179.
88. Khare S, Gokulan K, Williams K, Bai S, Gilbert KM, Blossom SJ. Irreversible effects of trichloroethylene on the gut microbial community and gut-associated immune responses in autoimmune-prone mice. *J Appl Toxicol*. 2019;39(2):209-220. doi:10.1002/jat.3708.
89. Lagakos SW, Wessen BJ, Zelen M. An Analysis of Contaminated Well Water and Health Effects in Woburn, Massachusetts. *Journal of the American Statistical Association*. 1986;81(395):583-596. doi:https://doi.org/10.1080/01621459.1986.10478307.
90. Lan Q, Zhang L, Tang X, et al. Occupational exposure to trichloroethylene is associated with a decline in lymphocyte subsets and soluble CD27 and CD30 markers. *Carcinogenesis*. 2010;31(9):1592-1596. doi:10.1093/carcin/bgq121.
91. Lash LH, Chiu WA, Guyton KZ, Rusyn I. Trichloroethylene biotransformation and its role in mutagenicity, carcinogenicity and target organ toxicity. *Mutat Res Rev Mutat Res*. 2014;762:22-36. doi:10.1016/j.mrrev.2014.04.003.
92. Lash LH, Parker JC, Scott CS. Modes of action of trichloroethylene for kidney tumorigenesis. *Environ Health Perspect*. 2000;108 Suppl 2(Suppl 2):225-240. doi:10.1289/ehp.00108s2225.

93. Lee KM, Zhang L, Vermeulen R, et al. Alterations in immune and renal biomarkers among workers occupationally exposed to low levels of trichloroethylene below current regulatory standards. *Occup Environ Med*. 2019;76(6):376-381. doi:10.1136/oemed-2018-105583.
94. Li B, Xie H, Wang X, et al. Oxidative stress mediates renal endothelial cell damage in trichloroethylene-sensitized mice. *J Toxicol Sci*. 2019;44(5):317-326. doi:10.2131/jts.44.317.
95. Li SL, Yu Y, Yang P, et al. Trichloroethylene Alters Th1/Th2/Th17/Treg Paradigm in Mice: A Novel Mechanism for Chemically Induced Autoimmunity. *Int J Toxicol*. 2018;37(2):155-163. doi:10.1177/1091581818757036.
96. Li W, Liu X, Yang X, et al. Effect of trichloroacetaldehyde on the activation of CD4⁺T cells in occupational medicamentosa-like dermatitis: An in vivo and in vitro study. *Toxicology*. 2019;423:95-104. doi:10.1016/j.tox.2019.05.014.
97. Li Z, Deng M, Huang F, et al. LILRB4 ITIMs mediate the T cell suppression and infiltration of acute myeloid leukemia cells [published correction appears in *Cell Mol Immunol*. 2020 Mar;17(3):302-304. doi: 10.1038/s41423-019-0351-9]. *Cell Mol Immunol*. 2020;17(3):272-282. doi:10.1038/s41423-019-0321-2.
98. Liao D, Wang M, Liao Y, Li J, Niu T. A Review of Efficacy and Safety of Checkpoint Inhibitor for the Treatment of Acute Myeloid Leukemia. *Front Pharmacol*. 2019;10:609. Published 2019 Jun 6. doi:10.3389/fphar.2019.00609.
99. Lock EA, Sani Y, Moore RB, Finkelstein MB, Anders MW, Seawright AA. Bone marrow and renal injury associated with haloalkene cysteine conjugates in calves. *Arch Toxicol*. 1996;70(10):607-619. doi:10.1007/s002040050319.
100. Luo J, Craver A, Bahl K, et al. Etiology of non-Hodgkin lymphoma: A review from epidemiologic studies. *J Natl Cancer Cent*. 2022;2(4):226-234. Published 2022 Aug 17. doi:10.1016/j.jncc.2022.08.003.
101. Makgoeng SB, Bolanos RS, Jeon CY, et al. Markers of Immune Activation and Inflammation, and Non-Hodgkin Lymphoma: A Meta-Analysis of Prospective Studies. *JNCI Cancer Spectr*. 2018;2(4):pky082. doi:10.1093/jncics/pky082.
102. Maltoni C, Lefemine G, Cotti G, Perino G. Long-term carcinogenicity bioassays on trichloroethylene administered by inhalation to Sprague-Dawley rats and Swiss and B6C3F1 mice. *Ann N Y Acad Sci*. 1988;534:316-342. doi:10.1111/j.1749-6632.1988.tb30120.x.
103. Mandel JH, Kelsh MA, Mink PJ, et al. Occupational trichloroethylene exposure and non-Hodgkin's lymphoma: a meta-analysis and review. *Occup Environ Med*. 2006;63(9):597-607. doi:10.1136/oem.2005.022418.

104. Maslia ML, Aral MM, Ruckart PZ, Bove FJ. Reconstructing Historical VOC Concentrations in Drinking Water for Epidemiological Studies at a U.S. Military Base: Summary of Results. *Water (Basel)*. 2016;8(10):449. doi:10.3390/w8100449.
105. Meadows JR, Parker C, Gilbert KM, Blossom SJ, DeWitt JC. A single dose of trichloroethylene given during development does not substantially alter markers of neuroinflammation in brains of adult mice. *J Immunotoxicol*. 2017;14(1):95-102. doi:10.1080/1547691X.2017.1305021.
106. Mei Y, Ren K, Liu Y, et al. Bone marrow-confined IL-6 signaling mediates the progression of myelodysplastic syndromes to acute myeloid leukemia. *J Clin Invest*. 2022;132(17):e152673. Published 2022 Sep 1. doi:10.1172/JCI152673.
107. Mittal M, Siddiqui MR, Tran K, Reddy SP, Malik AB. Reactive oxygen species in inflammation and tissue injury. *Antioxid Redox Signal*. 2014;20(7):1126-1167. doi:10.1089/ars.2012.5149.
108. Moser VC, MacPhail RC, Gennings C. Neurobehavioral evaluations of mixtures of trichloroethylene, heptachlor, and di(2-ethylhexyl)phthalate in a full-factorial design. *Toxicology*. 2003;188(2-3):125-137. doi:10.1016/s0300-483x(03)00083-0.
109. Murray HE, Thayer KA. Implementing systematic review in toxicological profiles: ATSDR and NIEHS/NTP collaboration. *J Environ Health*. 2014;76(8):34-35.
110. Nakajima T, Wang H, Yuan Y, et al. Increased serum anti-CYP2E1 IgG autoantibody levels may be involved in the pathogenesis of occupational trichloroethylene hypersensitivity syndrome: a case-control study. *Arch Toxicol*. 2022;96(10):2785-2797. doi:10.1007/s00204-022-03326-x.
111. Nakhoda S, Rizwan F, Vistarop A, Nejati R. Updates in the Role of Checkpoint Inhibitor Immunotherapy in Classical Hodgkin's Lymphoma. *Cancers (Basel)*. 2022;14(12):2936. Published 2022 Jun 14. doi:10.3390/cancers14122936.
112. Neafsey P, Ginsberg G, Hattis D, Johns DO, Guyton KZ, Sonawane B. Genetic polymorphism in CYP2E1: Population distribution of CYP2E1 activity. *J Toxicol Environ Health B Crit Rev*. 2009;12(5-6):362-388. doi:10.1080/10937400903158359.
113. NRC. *Contaminated Water Supplies at Camp Lejeune: Assessing Potential Health Effects*. National Academies Press; 2009. Available at: <https://nap.nationalacademies.org/read/12618/chapter/1>.
114. NTP (National Toxicology Program). 2021. Report on Carcinogens, Fifteenth Edition. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service. <https://ntp.niehs.nih.gov/go/roc15> (EndNote XML)
DOI: <https://doi.org/10.22427/NTP-OTHER-1003>.
115. Otsuki N, Homma T, Fujiwara H, et al. Trichloroethylene exposure aggravates behavioral abnormalities in mice that are deficient in superoxide dismutase. *Regul Toxicol Pharmacol*. 2016;79:83-90. doi:10.1016/j.yrtph.2016.05.007.

116. Pan Y, Wei X, Hao W. Trichloroethylene and Its Oxidative Metabolites Enhance the Activated State and Th1 Cytokine Gene Expression in Jurkat Cells. *Int J Environ Res Public Health*. 2015;12(9):10575-10586. Published 2015 Aug 28. doi:10.3390/ijerph120910575.
117. Parker, GS, Rosen, SL. Woburn: Cancer Incidence and Environmental Hazards, 1969-1978. 1981. <https://archives.lib.state.ma.us/server/api/core/bitstreams/a1552748-98db-407b-a232-2f93634e58ae/content>.
118. Phillips RV, Rieswijk L, Hubbard AE, et al. Human exposure to trichloroethylene is associated with increased variability of blood DNA methylation that is enriched in genes and pathways related to autoimmune disease and cancer. *Epigenetics*. 2019;14(11):1112-1124. doi:10.1080/15592294.2019.1633866.
119. Purdue MP, Bakke B, Stewart P, et al. A case-control study of occupational exposure to trichloroethylene and non-Hodgkin lymphoma. *Environ Health Perspect*. 2011;119(2):232-238. doi:10.1289/ehp.1002106.
120. Raaschou-Nielsen O, Hansen J, McLaughlin JK, et al. Cancer risk among workers at Danish companies using trichloroethylene: a cohort study. *Am J Epidemiol*. 2003;158(12):1182-1192. doi:10.1093/aje/kwg282.
121. Rasmussen K, Sabroe S, Wohler M, Ingerslev HJ, Kappel B, Nielsen J. A genotoxic study of metal workers exposed to trichloroethylene. Sperm parameters and chromosome aberrations in lymphocytes. *Int Arch Occup Environ Health*. 1988;60(6):419-423. doi:10.1007/BF00381389.
122. Reddy VP. Oxidative Stress in Health and Disease. *Biomedicines*. 2023;11(11):2925. Published 2023 Oct 29. doi:10.3390/biomedicines11112925.
123. Ren X, Ruan J, Lan X, et al. SET-mediated epigenetic dysregulation of p53 impairs trichloroethylene-induced DNA damage response. *Toxicol Lett*. 2023;387:76-83. doi:10.1016/j.toxlet.2023.09.008.
124. Rivas JR, Liu Y, Alhakeem SS, et al. Interleukin-10 suppression enhances T-cell antitumor immunity and responses to checkpoint blockade in chronic lymphocytic leukemia. *Leukemia*. 2021;35(11):3188-3200. doi:10.1038/s41375-021-01217-1.
125. Rosenfeld P, Spaeth K, McCarthy S, Winter S, Wilson M. Camp Lejeune Marine Cancer Risk Assessment for exposure to contaminated drinking water from 1955-1987. *Water Air Soil Pollution*. 2024;235(124). doi:10.2139/ssrn.4329666.
126. Ruckart PZ, Bove FJ, Maslia M. Evaluation of exposure to contaminated drinking water and specific birth defects and childhood cancers at Marine Corps Base Camp Lejeune, North Carolina: a case-control study. *Environ Health*. 2013;12:104. Published 2013 Dec 4. doi:10.1186/1476-069X-12-104.

127. Sanchez-Correa B, Bergua JM, Campos C, et al. Cytokine profiles in acute myeloid leukemia patients at diagnosis: survival is inversely correlated with IL-6 and directly correlated with IL-10 levels. *Cytokine*. 2013;61(3):885-891. doi:10.1016/j.cyto.2012.12.023.
128. Sanders VM, Tucker AN, White KL Jr, et al. Humoral and cell-mediated immune status in mice exposed to trichloroethylene in the drinking water. *Toxicol Appl Pharmacol*. 1982;62(3):358-368. doi:10.1016/0041-008x(82)90138-7.
129. Savitz DA, Wise LA, Bond JC, et al. Responding to Reviewers and Editors About Statistical Significance Testing. *Ann Intern Med*. 2024;177(3):385-386. doi:10.7326/M23-2430.
130. Seidler A, Möhner M, Berger J, et al. Solvent exposure and malignant lymphoma: a population-based case-control study in Germany. *J Occup Med Toxicol*. 2007;2:2. Published 2007 Apr 2. doi:10.1186/1745-6673-2-2.
131. Seiji K, Jin C, Watanabe T, Nakatsuka H, Ikeda M. Sister chromatid exchanges in peripheral lymphocytes of workers exposed to benzene, trichloroethylene, or tetrachloroethylene, with reference to smoking habits. *Int Arch Occup Environ Health*. 1990;62(2):171-176. doi:10.1007/BF00383594.
132. Selgrade MK, Gilmour MI. Suppression of pulmonary host defenses and enhanced susceptibility to respiratory bacterial infection in mice following inhalation exposure to trichloroethylene and chloroform. *J Immunotoxicol*. 2010;7(4):350-356. doi:10.3109/1547691X.2010.520139.
133. Shen T, Zhu QX, Yang S, et al. Trichloroethylene induced cutaneous irritation in BALB/c hairless mice: histopathological changes and oxidative damage. *Toxicology*. 2008;248(2-3):113-120. doi:10.1016/j.tox.2008.03.016.
134. Society of Toxicology. 1999. The importance of animals in the science of toxicology: Society of Toxicology Animals in Research Public Policy Statement. Available at: https://www.toxicology.org/pubs/docs/air/AIR_Final.pdf
135. Spirtas R, Stewart PA, Lee JS, et al. Retrospective cohort mortality study of workers at an aircraft maintenance facility. I. Epidemiological results. *Br J Ind Med*. 1991;48(8):515-530. doi:10.1136/oem.48.8.515.
136. Thandra KC, Barsouk A, Saginala K, Padala SA, Barsouk A, Rawla P. Epidemiology of Non-Hodgkin's Lymphoma. *Med Sci (Basel)*. 2021;9(1):5. Published 2021 Jan 30. doi:10.3390/medsci9010005.
137. Tsamesidis I, Pantaleo A, Pekou A, et al. Correlation of Oxidative Stress Biomarkers and Hematological Parameters in Blood Cancer Patients from Sardinia, Italy. *Int J Hematol Oncol Stem Cell Res*. 2019;13(2):49-57.

138. USEPA. Advances in Dose Addition for Chemical Mixtures: A White Paper. epa.gov. December 2023. <https://assessments.epa.gov/risk/document/&deid=359745#downloads>.
139. USEPA. Application of systematic review in TSCA risk evaluations. epa.gov. May 2018. Accessed December 11, 2024. https://www.epa.gov/sites/default/files/2018-06/documents/final_application_of_sr_in_tsca_05-31-18.pdf.
140. USEPA. Final Risk Evaluation for Perchloroethylene (Ethene,1,1,2,2-Tetrachloro) (CASRN: 127-18-4) December, 2020.
141. USEPA. Framework for human health risk assessment to inform decision making. epa.gov. April 2014. Accessed December 11, 2024. <https://www.epa.gov/sites/default/files/2014-12/documents/hhra-framework-final-2014.pdf>.
142. USEPA. Guidance for considering and using open literature toxicity studies to support human health risk assessment. August 28, 2012. Accessed December 11, 2024. <https://www.epa.gov/sites/default/files/2015-07/documents/lit-studies.pdf>.
143. USEPA. OSWER directive 9200.1-120. epa.gov. February 6, 2014. Accessed December 11, 2024. https://www.epa.gov/sites/default/files/2015-11/documents/oswer_directive_9200.1-120_exposurefactors_corrected2.pdf.
144. USEPA. Procedures for Chemical Risk Evaluation Under the Toxic Substances Control Act (TSCA). epa.gov. April 2024. https://www.epa.gov/system/files/documents/2024-04/prepubcopy_frl-8529-02-ocspp_fr_doc_aa_esignature_verified.pdf.
145. USEPA. Risk Evaluation for Trichloroethylene (CASRN: 79-01-6) 2020.
146. USEPA. Toxicological Review of Tetrachloroethylene (Perchloroethylene) 2012.
147. USEPA. Toxicological Review of Trichloroethylene (CA No. 79-01-6) 2011. https://cfpub.epa.gov/ncea/iris/iris_documents/documents/subst/0199_summary.pdf.
148. USEPA. Trichloroethylene 79-01-6. epa.gov. September 2016. Accessed December 11, 2024. <https://www.epa.gov/sites/default/files/2016-09/documents/trichloroethylene.pdf>.
149. USEPA. Trichloroethylene: Regulation Under the Toxic Substances Control Act. 2023. <https://www.govinfo.gov/content/pkg/FR-2023-10-31/pdf/2023-23010.pdf>.
150. van der Laan L, Cardenas A, Vermeulen R, et al. Epigenetic aging biomarkers and occupational exposure to benzene, trichloroethylene and formaldehyde. *Environ Int.* 2022;158:106871. doi:10.1016/j.envint.2021.106871.
151. Varshney M, Chandra A, Chauhan LK, Goel SK. Micronucleus induction by oxidative metabolites of trichloroethylene in cultured human peripheral blood lymphocytes: a comparative

- genotoxicity study. *Environ Sci Pollut Res Int*. 2013;20(12):8709-8716. doi:10.1007/s11356-013-1806-7.
152. Vlachonikola E, Stamatopoulos K, Chatzidimitriou A. T Cell Defects and Immunotherapy in Chronic Lymphocytic Leukemia. *Cancers (Basel)*. 2021;13(13):3255. Published 2021 Jun 29. doi:10.3390/cancers13133255.
153. Vlaanderen J, Lan Q, Rothman N, Kromhout H, Vermeulen R. Occupational Benzene Exposure and Lymphoma Risks: Vlaanderen et al. Respond. *Environ Health Perspect*. 2011;119(11):a468-a469. doi:10.1289/ehp.1104167R.
154. Wang B, Reville PK, Yassouf MY, et al. Comprehensive characterization of IFN γ signaling in acute myeloid leukemia reveals prognostic and therapeutic strategies. *Nat Commun*. 2024;15(1):1821. Published 2024 Feb 28. doi:10.1038/s41467-024-45916-6.
155. Wang G, Cai P, Ansari GA, Khan MF. Oxidative and nitrosative stress in trichloroethene-mediated autoimmune response. *Toxicology*. 2007;229(3):186-193. doi:10.1016/j.tox.2006.10.014.
156. Wang G, Wang H, Banerjee N, Khan MF. Interplay and roles of oxidative stress, toll-like receptor 4 and Nrf2 in trichloroethene-mediated autoimmunity. *Toxicol Appl Pharmacol*. 2020;408:115258. doi:10.1016/j.taap.2020.115258.
157. Wang G, Wang J, Ma H, Ansari GA, Khan MF. N-Acetylcysteine protects against trichloroethene-mediated autoimmunity by attenuating oxidative stress. *Toxicol Appl Pharmacol*. 2013;273(1):189-195. doi:10.1016/j.taap.2013.08.020.
158. Wang H, Banerjee N, Liang Y, Wang G, Hoffman KL, Khan MF. Gut microbiome-host interactions in driving environmental pollutant trichloroethene-mediated autoimmunity. *Toxicol Appl Pharmacol*. 2021;424:115597. doi:10.1016/j.taap.2021.115597.
159. Wang R, Zhang Y, Lan Q, et al. Occupational exposure to solvents and risk of non-Hodgkin lymphoma in Connecticut women. *Am J Epidemiol*. 2009;169(2):176-185. doi:10.1093/aje/kwn300.
160. Water Modeling Data – Appendices I, J, H1 & K to Morris Malia’s report in the above-captioned matter, dated October 25, 2024.
161. Weisel CP, Jo WK. Ingestion, inhalation, and dermal exposures to chloroform and trichloroethene from tap water. *Environ Health Perspect*. 1996;104(1):48-51. doi:10.1289/ehp.9610448.
162. Xie X, Zhang W, Zhou X, et al. Low doses of IFN- γ maintain self-renewal of leukemia stem cells in acute myeloid leukemia. *Oncogene*. 2023;42(50):3657-3669. doi:10.1038/s41388-023-02874-5.

163. Yang ZZ, Liang AB, Ansell SM. T-cell-mediated antitumor immunity in B-cell non-Hodgkin lymphoma: activation, suppression and exhaustion. *Leuk Lymphoma*. 2015;56(9):2498-2504. doi:10.3109/10428194.2015.1011640.
164. Yin HQ, Qiao ZH, Zhu L, Zhang L, Su LP, Lu YJ. [Levels of intracellular IL-6 and IFN-gamma in children with acute lymphoblastic leukemia]. *Zhongguo Dang Dai Er Ke Za Zhi*. 2006;8(6):461-463.
165. Zhang JX, Yang Y, Huang H, et al. TNF- α /TNFR1 regulates the polarization of Kupffer cells to mediate trichloroethylene-induced liver injury. *Ecotoxicol Environ Saf*. 2022;230:113141. doi:10.1016/j.ecoenv.2021.113141.
166. Zhang L, Bassig BA, Mora JL, et al. Alterations in serum immunoglobulin levels in workers occupationally exposed to trichloroethylene. *Carcinogenesis*. 2013;34(4):799-802. doi:10.1093/carcin/bgs403.
167. Zhang S, Kohli K, Black RG, et al. Systemic Interferon- γ Increases MHC Class I Expression and T-cell Infiltration in Cold Tumors: Results of a Phase 0 Clinical Trial. *Cancer Immunol Res*. 2019;7(8):1237-1243. doi:10.1158/2326-6066.CIR-18-0940.
168. Zhang S, Li J, Fan J, Wu X. Bisphenol A triggers the malignancy of acute myeloid leukemia cells via regulation of IL-4 and IL-6. *J Biochem Mol Toxicol*. 2020;34(1):e22412. doi:10.1002/jbt.22412.
169. Zhao JH, Duan Y, Wang YJ, Huang XL, Yang GJ, Wang J. The Influence of Different Solvents on Systemic Sclerosis: An Updated Meta-analysis of 14 Case-Control Studies. *J Clin Rheumatol*. 2016;22(5):253-259. doi:10.1097/RHU.0000000000000354.
170. Zhu F, McCaw L, Spaner DE, Gorczynski RM. Targeting the IL-17/IL-6 axis can alter growth of Chronic Lymphocytic Leukemia in vivo/in vitro. *Leuk Res*. 2018;66:28-38. doi:10.1016/j.leukres.2018.01.006.
171. Zuo X, Liu Z, Ma J, et al. Wnt 5a mediated inflammatory injury of renal tubular epithelial cells dependent on calcium signaling pathway in Trichloroethylene sensitized mice. *Ecotoxicol Environ Saf*. 2022;243:114019. doi:10.1016/j.ecoenv.2022.114019.

All facts and data listed herein are either identified by bates number or are publicly available to and accessible by Defendant United States of America.

Dr. Gilbert reserves the right to review and consider additional facts, data and publications;

Dr. Gilbert reserves the right to consider the report of any other witness in this action; and

Dr. Gilbert reserves the right to supplement this list of reliance files.