

Exhibit 575

(Corrected)
Appendix 15
Bruce Wayne Hill (Leukemia)

Exposure Dates	Total Days HP work	Total days HP residential	Holcomb Blvd residential	TCE (ug/L- M) HP	TCE (ug/L- M) Holcomb	Cumulative dose (HP & Holcomb)	Cumulative dose (Holcomb only)	Cumulative dose (HP only)	PCE (ug/L- M) HP	PCE (ug/L- M) Holcomb	Cumulative dose (HP & Holcomb)	Cumulative dose (Holcomb only)	Cumulative dose (HP only)	VC (ug/L-M) HP	VC(ug/L-M) Holcomb	Cumulative dose (HP & Holcomb)	Cumulative dose (Holcomb only)	Cumulative dose (HP only)	BZ (ug/L-M) HP	BZ (ug/L-M) Holcomb	Cumulative dose (HP & Holcomb)	Cumulative dose (Holcomb only)	Cumulative dose (HP only)	
7/11/1983-7/31/83	21	0	0	618	0				30	0				51	0				7	0				
8/1/83-8/31/83	31	0	0	659	0				32	0				54	0				9	0				
9/1/83-9/30/83	30	0	0	543	0				26	0				45	0				9	0				
10/1/83-10/31/83	31	0	0	134	0				5	0				9	0				10	0				
11/1/83-11/30/83	30	0	0	783	0				39	0				67	0				10	0				
12/1/83-12/21/1983	21	0	0	688	0				34	0				59	0				9	0				
12/22/83-12/31/83	10	0	10	688	0				34	0				59	0				9	0				
1/11/84-1/31/84	21	0	21	427	0				21	0				36	0				11	0				
2/1/1984	1	0	1	560	0				27	0				47	0				8	0				
2/2/84-2/29/84	28	0	28	560	0				27	0				47	0				8	0				
3/1/84-3/31/84	31	0	31	587	0				28	0				50	0				7	0				
4/1/84-4/30/84	30	0	30	400	0				18	0				33	0				12	0				
5/1/84-5/31/84	31	0	31	491	0				23	0				42	0				10	0				
6/1/84-6/30/84	30	0	30	471	0				22	0				41	0				7	0				
7/1/84-7/31/84	31	0	31	507	0				24	0				45	0				7	0				
8/1/84-8/11/84; 8/27/84-8/31/84	16	0	16	539	0				26	0				48	0				8	0				
9/1/84-9/5/84	5	0	5	443	0				21	0				39	0				8	0				
10/10/84-10/31/84	22	0	22	94	0				3	0				6	0				8	0				
11/1/84-11/30/84	30	0	30	639	0				31	0				59	0				8	0				
12/1/84-12/31/84	31	0	31	43	0				2	0				4	0				2	0				
1/1/85-1/31/85	31	0	31	324	34				16	0				31	3				4	0				
2/1/85-2/28/85	28	0	28	0	66				0	0				0	6				3	1				
3/1/85-3/31/85	31	0	31	0	0				0	0				0	0				3	0				
4/1/85-4/30/85	30	0	30	0	0				0	0				0	0				4	0				
5/1/85-5/24/85	24	0	24	0	0				0	0				0	0				3	0				
	625	-	461	8,950	100				428	-				766	9				167	1				

Chart 1: Days on base and cumulative contaminant exposure concentrations (1 L consumption per day)

Exposure Dates	Total Days HP work	Total days HP residential	Holcomb Blvd	TCE (ug/l- M) HP	TCE (ug/l- M) Holcomb	Cumulative dose (HP & Holcomb)	Cumulative dose (Holcomb only)	Cumulative dose (HP only)	PCE (ug/l- M) HP	PCE (ug/l- M) Holcomb	Cumulative dose (HP & Holcomb)	Cumulative dose (Holcomb only)	Cumulative dose (HP only)	VC (ug/l-M) HP	VC (ug/l-M) Holcomb	Cumulativ e dose (HP & Holcomb)	Cumulativ e dose (Holcomb only)	Cumulativ e dose (HP only)	BZ (ug/l-M) HP	BZ (ug/l-M) Holcomb	Cumulativ e dose (HP & Holcomb)	Cumulativ e dose (Holcomb only)	Cumulativ e dose (HP only)	Daily ingestion (L)
																								1
7/11/1983-7/31/83	21	0	0	618	0	12978	0	12978	30	0	630	0	630	51	0	1071	0	1071	7	0	147	0	147	*no information in deposits or proportion of activities re
8/1/83-8/31/83	31	0	0	659	0	20429	0	20429	32	0	992	0	992	54	0	1674	0	1674	9	0	279	0	279	
				543	0				26	0				45	0				9	0				
9/1/83-9/30/83	30	0	0			16290	0	16290			780	0	780			1350	0	1350			270	0	270	
10/1/83-10/31/83	31	0	0	134	0	4154	0	4154	5	0	155	0	155	9	0	279	0	279	10	0	310	0	310	
11/1/83-11/30/83	30	0	0	783	0	23490	0	23490	39	0	1170	0	1170	67	0	2010	0	2010	10	0	300	0	300	
12/1/83-12/21/1983	21	0	0	688	0	14448	0	14448	34	0	714	0	714	59	0	1239	0	1239	9	0	189	0	189	
12/22/83-12/31/83	10	0	10	688	0	6880	0	6880	34	0	340	0	340	59	0	590	0	590	9	0	90	0	90	
1/11/84-1/31/84	21	0	21	427	0	8967	0	8967	21	0	441	0	441	36	0	756	0	756	11	0	231	0	231	
2/1/1984	1	0	1	560	0	560	0	560	27	0	27	0	27	47	0	47	0	47	8	0	8	0	8	
2/2/84-2/29/84	28	0	28	560	0	15680	0	15680	27	0	756	0	756	47	0	1316	0	1316	8	0	224	0	224	
3/1/84-3/31/84	31	0	31	587	0	18197	0	18197	28	0	868	0	868	50	0	1550	0	1550	7	0	217	0	217	
4/1/84-4/30/84	30	0	30	400	0	12000	0	12000	18	0	540	0	540	33	0	990	0	990	12	0	360	0	360	
5/1/84-5/31/84	31	0	31	491	0	15221	0	15221	23	0	713	0	713	42	0	1302	0	1302	10	0	310	0	310	
6/1/84-6/30/84	30	0	30	471	0	14130	0	14130	22	0	660	0	660	41	0	1230	0	1230	7	0	210	0	210	
7/1/84-7/31/84	31	0	31	507	0	15717	0	15717	24	0	744	0	744	45	0	1395	0	1395	7	0	217	0	217	
8/1/84-8/11/84; 8/27/84-8/31/84	16	0	16	539	0	8624	0	8624	26	0	416	0	416	48	0	768	0	768	8	0	128	0	128	
9/1/84-9/5/84	5	0	5	443	0	2215	0	2215	21	0	105	0	105	39	0	195	0	195	8	0	40	0	40	
10/10/84-10/31/84	22	0	22	94	0	2068	0	2068	3	0	66	0	66	6	0	132	0	132	8	0	176	0	176	
11/1/84-11/30/84	30	0	30	639	0	19170	0	19170	31	0	930	0	930	59	0	1770	0	1770	8	0	240	0	240	
12/1/84-12/31/84	31	0	31	43	0	1333	0	1333	2	0	62	0	62	4	0	124	0	124	2	0	62	0	62	
1/1/85-1/31/85	31	0	31	324	34	11098	1054	10044	16	0	496	0	496	31	3	1054	93	961	4	0	124	0	124	
2/1/85-2/28/85	28	0	28	0	66	1848	1848	0	0	0	0	0	0	0	6	168	168	0	3	1	112	28	84	
3/1/85-3/31/85	31	0	31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	93	0	93	
4/1/85-4/30/85	30	0	30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0	120	0	120	
5/1/85-5/24/85	24	0	24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	72	0	72	
	625	-	461			245,497	2,902	242,595			11,605	-	11,605			21,010	261	20,749			4,529	28	4,501	

*no information in deposition as to how much water consumed per day
or proportion of activities related to number of field training days.

Chart 2: Days on base and cumulative contaminant exposure concentrations (3 PT Training Days/week @ 3 liters/day, 4 Non-PT Training Days/week @ 1.2 liters/day)

Exposure Dates	Total Days HP work	Total days HP residential	Holcomb Blvd	TCE (ug/l- M) HP	TCE (ug/l- M) Holcomb	Cumulative dose (HP & Holcomb)	Cumulative dose (Holcomb only)	Cumulative dose (HP only)	PCE (ug/l- M) HP	PCE (ug/l- M) Holcomb	Cumulative dose (HP & Holcomb)	Cumulative dose (Holcomb only)	Cumulative dose (HP only)	VC (ug/l-M) HP	VC (ug/l-M) Holcomb	Cumulative dose (HP & Holcomb)	Cumulative dose (Holcomb only)	Cumulative dose (HP only)	BZ (ug/l-M) HP	BZ (ug/l-M) Holcomb	Cumulative dose (HP & Holcomb)	Cumulative dose (Holcomb only)	Cumulative dose (HP only)	Civilian worker 3 days @3L	Civilian worker 4 days @ 1.227
7/11/1983-7/31/83	21	0	0	618	0	14525	0	14525	30	0	705	0	705	51	0	1199	0	1199	7	0	165	0	165	3.1	1.227
8/1/83-8/31/83	31	0	0	659	0	22864	0	22864	32	0	1110	0	1110	54	0	1874	0	1874	9	0	312	0	312	3	4
9/1/83-9/30/83	30	0	0	543	0	18232	0	18232	26	0	873	0	873	45	0	1511	0	1511	9	0	302	0	302		
				134	0				5	0				9	0				10	0				PT days	0.667
10/1/83-10/31/83	31	0	0			4649	0	4649			173	0	173			312	0	312			347	0	347	residential proportion day on PT days	0.333
11/1/83-11/30/83	30	0	0	783	0	26290	0	26290	39	0	1309	0	1309	67	0	2250	0	2250	10	0	336	0	336	HP light/Nontraining ingestion proportion days	0.333
				688	0				34	0				59	0				9	0					
12/1/83-12/21/1983	21	0	0			16170	0	16170			799	0	799			1387	0	1387			212	0	212	residential proportion day on nontraining days	0.667
12/22/83-12/31/83	10	0	10	688	0	7700	0	7700	34	0	381	0	381	59	0	660	0	660	9	0	101	0	101		
				427	0				21	0				36	0				11	0					
1/11/84-1/31/84	21	0	21			10036	0	10036			494	0	494			846	0	846			259	0	259		
2/1/1984	1	0	1	560	0	627	0	627	27	0	30	0	30	47	0	53	0	53	8	0	9	0	9		
2/2/84-2/29/84	28	0	28	560	0	17549	0	17549	27	0	846	0	846	47	0	1473	0	1473	8	0	251	0	251		
3/1/84-3/31/84	31	0	31	587	0	20366	0	20366	28	0	971	0	971	50	0	1735	0	1735	7	0	243	0	243		
4/1/84-4/30/84	30	0	30	400	0	13430	0	13430	18	0	604	0	604	33	0	1108	0	1108	12	0	403	0	403	PT 3 liters/day is Bove's low end for his 3/4 days, 6/3.1 liters/day Marine in Training	
5/1/84-5/31/84	31	0	31	491	0	17035	0	17035	23	0	798	0	798	42	0	1457	0	1457	10	0	347	0	347	Non-PT liters/day is Adult Resident or Civilian Worker CTE liters/day @ 1.227 liters/day	
6/1/84-6/30/84	30	0	30	471	0	15814	0	15814	22	0	739	0	739	41	0	1377	0	1377	7	0	235	0	235		
7/1/84-7/31/84	31	0	31	507	0	17590	0	17590	24	0	833	0	833	45	0	1561	0	1561	7	0	243	0	243		
8/1/84-8/11/84; 8/27/84-8/31/84	16	0	16	539	0	9652	0	9652	26	0	466	0	466	48	0	860	0	860	8	0	143	0	143		
9/1/84-9/8/84	5	0	5	443	0	2479	0	2479	21	0	118	0	118	39	0	218	0	218	8	0	45	0	45		
10/10/84-10/31/84	22	0	22	94	0	2314	0	2314	3	0	74	0	74	6	0	148	0	148	8	0	197	0	197		
11/1/84-11/30/84	30	0	30	639	0	21455	0	21455	31	0	1041	0	1041	59	0	1981	0	1981	8	0	269	0	269		
12/1/84-12/31/84	31	0	31	43	0	1492	0	1492	2	0	69	0	69	4	0	139	0	139	2	0	69	0	69		
1/1/85-1/31/85	31	0	31	324	34	12201	960	11241	16	0	555	0	555	31	3	1160	85	1076	4	0	139	0	139		
2/1/85-2/28/85	28	0	28	0	66	1683	1683	0	0	0	0	0	0	0	6	153	153	0	3	1	120	25	94		
3/1/85-3/31/85	31	0	31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	104	0	104		
4/1/85-4/30/85	30	0	30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0	134	0	134		
5/1/85-5/24/85	24	0	24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	81	0	81		
	625	-	461			274,153	2,642	271,511			12,988	-	12,988			23,460	238	23,222			5,063	25	5,037		

Chart 3: Days on base and cumulative contaminant exposure concentrations; FM 1957-1983 moderate day averages

Exposure Dates	Total Days HP work	Total days HP residential	Holcomb Bld	TCE (ug/L- M) HP	TCE (ug/L- M) Holcomb	Cumulative dose (HP & Holcomb)	Cumulative dose (Holcomb only)	Cumulative dose (HP only)	PCE (ug/L- M) HP	PCE (ug/L- M) Holcomb	Cumulative dose (HP & Holcomb)	Cumulative dose (Holcomb only)	Cumulative dose (HP only)	VC (ug/L-M) HP	VC (ug/L-M) Holcomb	Cumulative dose (HP & Holcomb)	Cumulative dose (Holcomb only)	Cumulative dose (HP only)	BZ (ug/L-M) HP	BZ (ug/L-M) Holcomb	Cumulative dose (HP & Holcomb)	Cumulative dose (Holcomb only)	Cumulative dose (HP only)	3 days per week training heavy activity; FM average 1957-1983; moderate day: desert/tropical <80°F	4 days per week training light activity ; FM average 1957-1983; moderate day: desert/tropical <80°F
7/11/1983-7/31/83	21	0	0	618	0	32173	0	32173	30	0	1562	0	1562	51	0	2655	0	2655	7	0	364	0	364	5.21	5.21
8/1/83-8/31/83	31	0	0	659	0	50644	0	50644	32	0	2459	0	2459	54	0	4150	0	4150	9	0	692	0	692	3	4
9/1/83-9/30/83	30	0	0	543	0	40383	0	40383	26	0	1934	0	1934	45	0	3347	0	3347	9	0	669	0	669	PT days residential proportion day on PT days	0.667
10/1/83-10/31/83	31	0	0	134	0	10298	0	10298	5	0	384	0	384	9	0	692	0	692	10	0	768	0	768		
11/1/83-11/30/83	30	0	0	783	0	58232	0	58232	39	0	2900	0	2900	67	0	4983	0	4983	10	0	744	0	744		
12/1/83-12/21/1983	21	0	0	688	0	35817	0	35817	34	0	1770	0	1770	59	0	3071	0	3071	9	0	469	0	469	HP light/Nontraining ingestion proportion days residential proportion day on nontraining days	0.333
12/22/83-12/31/83	10	0	10	427	0	17056	0	17056	21	0	843	0	843	36	0	1463	0	1463	11	0	223	0	223		
1/11/84-1/31/84	21	0	21			22229	0	22229			1093	0	1093			1874	0	1874			573	0	573		
2/1/1984	1	0	1	560	0	1388	0	1388	27	0	67	0	67	47	0	117	0	117	8	0	20	0	20	0.667	
2/2/84-2/29/84	28	0	28	560	0	38871	0	38871	27	0	1874	0	1874	47	0	3262	0	3262	8	0	555	0	555		
3/1/84-3/31/84	31	0	31	587	0	45111	0	45111	28	0	2152	0	2152	50	0	3842	0	3842	7	0	538	0	538		
4/1/84-4/30/84	30	0	30	400	0	29748	0	29748	18	0	1339	0	1339	33	0	2454	0	2454	12	0	892	0	892		
5/1/84-5/31/84	31	0	31	491	0	37733	0	37733	23	0	1768	0	1768	42	0	3228	0	3228	10	0	768	0	768		
6/1/84-6/30/84	30	0	30	471	0	35028	0	35028	22	0	1636	0	1636	41	0	3049	0	3049	7	0	521	0	521		
7/1/84-7/31/84	31	0	31	507	0	38963	0	38963	24	0	1844	0	1844	45	0	3458	0	3458	7	0	538	0	538		
8/1/84-8/11/84; 8/27/84-8/31/84	16	0	16	539	0	21379	0	21379	26	0	1031	0	1031	48	0	1904	0	1904	8	0	317	0	317		
9/1/84-9/5/84	5	0	5	443	0	5491	0	5491	21	0	260	0	260	39	0	483	0	483	8	0	99	0	99		
10/10/84-10/31/84	22	0	22	94	0	5127	0	5127	3	0	164	0	164	6	0	327	0	327	8	0	436	0	436		
11/1/84-11/30/84	30	0	30	639	0	47523	0	47523	31	0	2305	0	2305	59	0	4388	0	4388	8	0	595	0	595		
12/1/84-12/31/84	31	0	31	43	0	3305	0	3305	2	0	154	0	154	4	0	307	0	307	2	0	154	0	154		
1/1/85-1/31/85	31	0	31	324	34	27775	2875	24899	16	0	1230	0	1230	31	3	2636	254	2382	4	0	307	0	307		
2/1/85-2/28/85	28	0	28	0	66	5042	5042	0	0	0	0	0	0	0	6	458	458	0	3	1	285	76	208		
3/1/85-3/31/85	31	0	31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	231	0	231		
4/1/85-4/30/85	30	0	30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0	297	0	297		
5/1/85-5/24/85	24	0	24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	178	0	178		
	625	-	461			609,312	7,917	601,395			28,769	-	28,769			52,149	712	51,437			11,234	76	11,158		

Exposure data summary

Summed variable totals

		Chart 1: 1L	Chart 2: ATSDR civilian	Chart 3: FM
	Cumulative ug/l-M	Cumulative consumption (total ug= days*concentration per L)	Cumulative consumption (total ug= days*concentration per ATSDR exposure assumptions)	Cumulative consumption (total ug= days*concentration per deposition/FM exposure assumptions)
Hadnot Point				
TCE	8,950	242,595	271,511	601,395
PCE	428	11,605	12,988	28,769
VC	766	20,749	23,222	51,437
BZ	167	4,501	5,037	11,158
Holcomb Blvd				
TCE	100	2,902	2,642	7,917
PCE	-	-	-	-
VC	9	261	238	712
BZ	1	28	25	76
Totals HP & Holcomb Blvd				
TCE	9,050	245,497	274,153	609,312
PCE	428	11,605	12,988	28,769
VC	775	21,010	23,460	52,149
BZ	168	4,529	5,063	11,234